

SERENE STARS

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring FLOWERHOUSE

Serene
Debbie Beaves



Finished quilt measures: 75" x 88-1/2"















Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	FLH-20748-15 IVORY	2-1/2 yards		H	FLH-20749-7 GREEN	1/4 yard
	B	FLH-20749-10 PINK	5/8 yard		I	FLH-20747-7 GREEN	1/4 yard
	C	FLH-20747-10 PINK	3/8 yard		J	FLH-20743-10 PINK	5/8 yard
	D	FLH-20749-4 BLUE	1/4 yard		K	FLH-20746-10 PINK	3/8 yard
	E	FLH-20747-4 BLUE	1/4 yard		L	FLH-20744-10 PINK	7/8 yard
	F	FLH-20749-130 SUNSHINE	1/4 yard		M	K001-1242 NATURAL	1-3/8 yards
	G	FLH-20747-130 SUNSHINE	1/4 yard		Binding*	FLH-20749-10 PINK	3/4 yard
				<i>*Also used for Fabric B</i>			
<p>Copyright 2022, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- six 4" x WOF strips. Subcut:
 - sixty 4" squares for the HSTs
- thirty-one 2" x WOF strips. Subcut:
 - sixty 2" x 9-1/2" middle borders for the B Blocks
 - sixty 2" x 6-1/2" inner borders for the B Blocks
 - one hundred twenty 2" squares for the A Blocks

From Fabric B, cut:

- two 4" x WOF strips. Subcut:
 - sixteen 4" squares for the HSTs
- six 2" x WOF strips. Subcut:
 - one hundred twenty 2" squares

From Fabric C, cut:

- two 4" x WOF strips. Subcut:
 - sixteen 4" squares for the HSTs
- two 2" x WOF strips. Subcut:
 - forty-two 2" squares for the Cornerstones

From each of Fabrics D-G, cut:

- two 4" x WOF strips. Subcut:
 - sixteen 4" squares for the HSTs

From each of Fabrics H and I, cut:

- two 4" x WOF strips. Subcut:
 - twelve 4" squares for the HSTs

From Fabric J, cut:

- three 6-1/2" x WOF strips. Subcut:
 - fifteen 6-1/2" squares for the B Blocks

From Fabric K, cut:

- six 2" x WOF strips. Subcut:
 - one hundred twenty 2" squares

From Fabric L, cut:

eight 3-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 3-1/2" x 83" side outer borders
two 3-1/2" x 75-1/2" top/bottom outer borders

From Fabric M, cut:


twenty-four 2" x WOF strips. Subcut:
seventy-one 2" x 12-1/2" sashing strips

From the Binding, cut:

nine 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric A square with a 4" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make sixteen A/B HSTs.



Step 2: Repeat Step 1 to make:



sixteen A/C HSTs



sixteen B/C HSTs



sixteen A/D HSTs



sixteen A/E HSTs



sixteen D/E HSTs



sixteen A/F HSTs



sixteen A/G HSTs



sixteen F/G HSTs



twelve A/H HSTs



twelve A/I HSTs



twelve H/I HSTs

Assemble the A Blocks


Step 3: Gather:

two 2" Fabric A squares
one 2" Fabric K square
one 2" Fabric B square

Arrange the units into two rows of two. Note the fabric placement and block orientation in the Diagram.

Step 4: Sew the squares together to form the rows. Press the seams away from Fabric A.

Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the four-patch unit. The resulting unit should measure 3-1/2" square. Make sixty units like this.




Step 6: Gather:

four Four Patch units
four A/B HSTs
four A/C HSTs
four B/C HSTs


Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 7: Sew the squares together to form the rows. Press the seams in opposite directions every other row.


Step 8: Sew the rows together, nesting the seams and pressing the seams to one side to form the block. The resulting Block should measure 12-1/2" square. Repeat to make four A Blocks from Fabrics B/C.




Step 9: Repeat Steps 3-8 to make:



four A Blocks
from Fabrics D/E




four A Blocks
from Fabrics F/G



three A Blocks
from Fabrics H/I

Assemble the B Blocks



Step 10: Gather:
one Fabric J square
four 2" x 6-1/2" Fabric A strips
four 2" x 9-1/2" Fabric A strips
four Fabric K squares
four Fabric B squares

Step 11: Sew a Fabric K square to the left and right edges of a 6-1/2" Fabric A strip. Press toward the strip. Repeat.



Step 12: Sew a Fabric B square to the left and right edges of a 9-1/2" Fabric A strip. Press toward the strip. Repeat.



Step 13: Sew the remaining 6-1/2" Fabric A side inner borders to the sides of the Fabric J block center. Press toward the borders. Sew a completed Step 11 unit to the top and bottom of the unit. Press toward the borders.



Step 14: Sew the remaining 9-1/2" Fabric A side inner borders to the sides of the block center. Press toward the borders. Sew a completed Step 12 unit to the top and bottom of the unit. Press toward the borders.



The resulting B Block should measure 12-1/2" square. Repeat to make fifteen B Blocks.

Assemble the Quilt

Step 15: Arrange the A and B Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make six block rows.

Step 16: Gather six cornerstone squares and five sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make seven sashing rows.

Step 17: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 18: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.



Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.