

SHIMMERING CONES

Designed by Ariga Mahmoudlou for RK
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids



2021
KONA[®]
cotton solids
365
CALENDAR
QUILT

Finished quilt measures: 62" x 79"















Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2-1/8 yards		H	K001-440 BREAKERS	3/8 yard
	B	K001-1852 SEA MIST	1/4 yard		I	K001-1183 JADE GREEN	3/8 yard
	C	K001-1173 ICE FRAPPE	1/4 yard		J	K001-483 ULTRA MARINE	3/8 yard
	D	K001-200 POND	3/8 yard		K	K001-146 GLACIER	1/4 yard
	E	K001-837 ARUBA	3/8 yard		L	K001-356 EVERGLADE	1/4 yard
	F	K001-45 POOL	3/8 yard		M	K001-1333 SILVER	1-1/3 yards
	G	K001-1061 CANDY GREEN	3/8 yard		Binding*	K001-440 BREAKERS <small>*Also used for Fabric H</small>	5/8 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

thirteen 2-1/2" x WOF strips. Subcut:

seventy-seven 2-1/2" x 6-1/2" block sashing strips

sixteen 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

one 2-1/2" x 12" strip

one 2-1/2" x 28" strip

one 2-1/2" x 44" strip

one 2-1/2" x 60" strip

one 2-1/2" x 72" strip

one 2-1/2" x 91" strip

one 2-1/2" x 93" strip

one 2-1/2" x 84" strip

one 2-1/2" x 68" strip

one 2-1/2" x 52" strip

one 2-1/2" x 36" strip

one 2-1/2" x 20" strip

From each of Fabrics B and C, cut:

one 6-1/2" x WOF strip. Subcut:

six 6-1/2" squares

From Fabric D, cut:

two 6-1/2" x WOF strips. Subcut:

eight 6-1/2" squares

From Fabric E, cut:

two 6-1/2" x WOF strips. Subcut:

ten 6-1/2" squares

From each of Fabrics F and G, cut:

two 6-1/2" x WOF strips. Subcut:

twelve 6-1/2" squares

From Fabric H, cut:

two 6-1/2" x WOF strips. Subcut:

eleven 6-1/2" squares

From Fabric I, cut:

two 6-1/2" x WOF strips. Subcut:
nine 6-1/2" squares

From Fabric J, cut:

two 6-1/2" x WOF strips. Subcut:
seven 6-1/2" squares

From Fabric K, cut:

one 6-1/2" x WOF strip. Subcut:
five 6-1/2" squares

From Fabric L, cut:

one 6-1/2" x WOF strip. Subcut:
four 6-1/2" squares

From Fabric M, cut:


ten 4-1/2" x WOF strips. Subcut:
eighty-four 4-1/2" squares. Mark a diagonal on the back side of each square.

From the Binding Fabric, cut:


eight 2-1/2" x WOF strips

Assemble the Blocks


Step 1: Place a 4-1/2" Fabric M square in the upper right corner of a Fabric B square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat to make a total of four Fabric B Blocks. Two additional B squares will not have M corners. *Note: in Fabrics C-F, you will have one 6-1/2" square that remains a plain square, without a Fabric M corner.*




Step 2: Repeat Step 1 to make a total of:




five
Fabric C Blocks




seven
Fabric D Blocks



nine
Fabric E Blocks



eleven Fabric F
Blocks



twelve
Fabric G Blocks



eleven
Fabric H Blocks



nine
Fabric I Blocks



seven
Fabric J Blocks




five
Fabric K Blocks



four
Fabric L Blocks




Assemble the Quilt



Step 3: Arrange the blocks into thirteen diagonal rows. Note the fabric placement in the Quilt Assembly Diagram.

Step 4: Sew the blocks and sashing strips together to form the rows. Press the seams toward the blocks.

Step 5: Sew the rows together to form the quilt center, placing the specific lengths of row sashing strips between each row as indicated in the Quilt Assembly Diagram. Note that the row sashing strips are longer than necessary, to allow for trimming. Simply center the strips along a row and proceed. Press. Tip: Align the seams from the blocks and block sashing strips in one row to the seams from the blocks in another row as you sew a row sashing strip between them.



Step 6: Trim the quilt to size, approximately 62" x 79."
Tip: For the left and right edges, cut 1/4" beyond the finished top points of the Fabric M triangles. For the bottom and top edges, cut 1/4" beyond the finished outer left and right points of each block.

Your quilt top is complete!
 Baste, quilt, bind and enjoy!