

SIENNA

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring *Sienna* 



Finished quilt measures: 60" x 72"
















Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ETJ-9864-15 IVORY	2-2/3 yards		I	SRKD-21167-405 WATERFALL	1/2 yard
	B	K001-1373 TEAL BLUE	1/3 yard		J	SRKD-21166-63 SKY	1/4 yard
	C	SRKD-21164-222 REDWOOD	1/4 yard		K	SRKD-21163-191 AUTUMN	1/4 yard
	D	SRKD-21169-73 LAKE	1/2 yard		L	SRKD-21165-49 OLIVE	1/4 yard
	E	SRKD-21169-148 PUMPKIN	1/4 yard		M	SRKD-21163-324 SUNDANCE	1/4 yard
	F	SRKD-21168-49 OLIVE	1/8 yard		N	SRKD-21164-345 CYPRESS	1/4 yard
	G	SRKD-21168-144 PEACH	1/4 yard		Binding*	K001-1373 TEAL BLUE	1/2 yard
	H	SRKD-21166-415 FLAX	1/4 yard			<i>*Also used for Fabric B</i>	

You will also need:
4 yards for backing

Copyright 2022, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 5-1/4" x WOF strips. Subcut:
fifteen 5-1/4" squares for the flying geese
four 8-1/2" x WOF strips. Subcut:
sixty 2-1/2" x 8-1/2" rectangles
eleven 4-1/2" x WOF strips. Subcut:
sixty 2-1/2" x 4-1/2" rectangles
sixty 4-1/2" squares

From Fabric B, cut:

two 4-1/2" x WOF strips. Subcut:
fifteen 4-1/2" squares

From each of Fabrics C and E, cut:

two 2-7/8" x WOF strips. Subcut:
sixteen 2-7/8" squares for the flying geese

From Fabric D, cut:

two 2-7/8" x WOF strips. Subcut:
sixteen 2-7/8" squares for the flying geese
four 2-1/2" x WOF strips. Subcut:
sixty 2-1/2" squares

From Fabric F, cut:

one 2-7/8" x WOF strip. Subcut:
twelve 2-7/8" squares for the flying geese

From each of Fabrics G and H, cut:

one 4-1/2" x WOF strip. Subcut:
sixteen 2-1/2" x 4-1/2" rectangles

From Fabric I, cut:

one 4-1/2" x WOF strip. Subcut:
sixteen 2-1/2" x 4-1/2" rectangles
four 2-1/2" x WOF strips. Subcut:
sixty 2-1/2" squares

From Fabric J, cut:

one 4-1/2" x WOF strip. Subcut:
twelve 2-1/2" x 4-1/2" rectangles

From each of Fabrics K-M, cut:

one 4-1/2" x WOF strip. Subcut:
four 4-1/2" squares

From Fabric N, cut:


one 4-1/2" x WOF strip. Subcut:
three 4-1/2" squares

From the Binding, cut:



seven 2-1/2" x WOF strips.

Assemble the Flying Geese

Step 1: Pin two 2-7/8" Fabric C squares in opposing corners of a 5-1/4" Fabric A square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 4: Place one 2-7/8" Fabric C square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four flying geese blocks.



Step 6: Repeat to make a total of sixteen A/C flying geese units. Repeat the process in Steps 1-5 to make a total of:



sixteen A/D flying geese



sixteen A/E flying geese



twelve A/F flying geese


Step 7: Sew a Fabric G rectangle to the top edge of each A/C flying geese unit. Press. Repeat to make sixteen G/A/C units.




Repeat the process to make a total of:



sixteen H/A/D units




sixteen I/A/E units



twelve J/A/F units

Assemble the A Blocks



Step 8: Gather:
 four 4-1/2" Fabric A squares
 one 4-1/2" Fabric K square
 four completed Step 7 units, in Fabrics G/A/C

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 9: Sew the squares together to form the rows. Press the seams away from the 4-1/2" squares.

Step 10: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.


The resulting A Block should measure 12-1/2" square. Make four blocks in this Fabric K/G/A/C color combination.




Make additional A Blocks in the combinations shown here:



four
 Fabric L/H/A/D Blocks



four
 Fabric M/I/A/E Blocks




three
 Fabric N/J/A/F Blocks

Assemble the B Blocks

Step 11: Gather:

one 2-1/2" x 4-1/2" Fabric A rectangle
two Fabric D squares

Sew a Fabric D square to each end of the rectangle. Press toward the squares. Make thirty units like this.



Step 12: Gather:


one 2-1/2" x 8-1/2" Fabric A rectangle
two Fabric I squares

Sew a Fabric I square to each end of the rectangle. Press toward the squares. Make thirty units like this.



Step 13: Gather:

one Fabric B square
two completed Step 11 units
two completed Step 12 units
two 2-1/2" x 4-1/2" Fabric A rectangles
two 2-1/2" x 8-1/2" Fabric A rectangles




Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 14: Sew the 2-1/2" x 4-1/2" Fabric A rectangle to the left and right edges of the Fabric B square. Press toward the square. Sew a completed Step 11 unit to the top and bottom edge and press.

Step 15: Sew the 2-1/2" x 8-1/2" Fabric A rectangle to the left and right edges of the block. Press toward the block center. Sew a completed Step 12 unit to the top and bottom edge and press.

The resulting B Block should measure 12-1/2" square. Make fifteen B Blocks.



Assemble the Quilt



Step 16: Arrange the A and B blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 17: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 18: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.