

Silhouette Collection II Spring

Quilt design by:
Heidi Pridemore



*Marbleous Collection

for more quilt patterns visit our website

ROBERT KAUFMAN
F A B R I C S

www.robertkaufman.com



ASH-6443-50
LIME



ASH-6445-50
LIME




ASH-6445-2
BLACK




ASH-6448-10
PINK



ASH-6446-50
LIME



*DRJ-6110-2
BLACK



ASH-6447-10
PINK

Silhouette Collection 2

Spring

All strips are cut on crosswise grain of fabric (width of fabric) unless stated otherwise. All strips are based on 42" length. Carefully trim off all selvages. All seams are 1/4".

Please read the pattern carefully before you begin.

Fabric Requirements and Cutting Directions

Fabrics	Fabric Amount	Cutting Directions
ASH 6445-2 ASH 6445-50	1/3 yd. 1/3 yd.	Cut 3 strips of each 3.5" x width of the fabric
ASH 6446-50 ASH 6447-10	1/2 yd. 1/2 yd.	Cut 6 strips of each 2" x width of the fabric. Three of the strips are for the body of the quilt, three for the outside border.
ASH 6448-10	1/4 yd.	Cut 3 strips 2.5" x width of fabric
ASH 6443-50	1-1/4 yd	Cut 3 strips the length of the fabric 6.5" x 42.5"
ASH 6443-50	1-1/4 yd.	Cut 3 strips the length of the fabric 3.5" x 42"
DRJ 6110-2	3/4 yd.	Cut 8 strips 1.5" x the width of the fabric for sashing. Cut 5 strips 2.1/4" x the width of the fabric for a double binding.

Pieced Panels

Sew strips together in the following sequence, ASH 6446-50 lime, ASH 6445-2 black, ASH 6448-10 pink, ASH 6445-50 lime, ASH 6447-10 pink, ASH 6443-50 lime. Repeat sequence twice more to finish with 18 strips total sewn together. On a 45 degree angle, cut 2 panels from the finished strips measuring 8 1/4" x 42 1/2" as shown in diagram 1.




Diagram 1.

Quilt Construction

Sew the pieced panels to the solid panels in the following sequence, DRJ 6110-2 black, ASH 6441-1 white, DRJ 6110-2 black, pieced panel, DRJ 6110-2 black, ASH 6441-1 white, DRJ 6110-2 black, pieced panel, DRJ 6110-2 black, ASH 6441-1 white, DRJ 6110-2 black. Attach sashing at the top and bottom of the quilt, as shown in Diagram 2.




Diagram 2.

Borders

For the outside borders sew two strips of ASH 6443-50 lime end to end to form a strip 2" x 84". Repeat this process with ASH 6447-10 pink. Sew borders side, side, top, bottom, referring to picture for placement.

Binding

Sew all of 2 1/4" binding strips end to end to form a 2 1/4" x 210" strip. This is a double binding. Press in 1/2 lengthwise. Measure the outside edge of the quilt, and trim binding to match. Bind as usual.