


SILVER MORNING FLIGHT

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring **Silverstone**
Wishwell
fabrics for daydreamers.



Finished quilt measures: 64" x 76"











Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	WELM-19505-187 PLATINUM	4-1/2 yards		F	WELM-19500-185 STEEL	1/2 yard
	B	WELM-19505-181 ONYX	1/2 yard		G	WELM-19502-185 STEEL	1/3 yard
	C	WELM-19503-181 ONYX	1/2 yard		H	WELM-19503-186 SILVER	1/2 yard
	D	WELM-19499-181 ONYX	1/2 yard		I	WELM-19500-160 TAUPE	1/3 yard
	E	WELM-19502-184 CHARCOAL	1/2 yard		Binding	WELM-19503-160 TAUPE	5/8 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

six 8-1/2" x WOF strips. Subcut:

- one 8-1/2" x 24-1/2" rectangle
- four 8-1/2" x 16-1/2" rectangles
- two 8-1/2" x 12-1/2" rectangles
- eight 8-1/2" squares

twenty-four 4-1/2" x WOF strips. Subcut:

- nine 4-1/2" x 8-1/2" rectangles
- one hundred thirty-two 4-1/2" squares

Sew the remaining seven strips together, end-to-end, then subcut:

- two 4-1/2" x 68-1/2" side outer borders
- two 4-1/2" x 64-1/2" top/bottom outer borders

From each of Fabrics B-F and H, cut:

three 4-1/2" x WOF strips. Subcut:

- nine 4-1/2" x 8-1/2" rectangles for the Flying Geese

From Fabric G, cut:

two 4-1/2" x WOF strips. Subcut:

- seven 4-1/2" x 8-1/2" rectangles for the Flying Geese

From Fabric I, cut:

two 4-1/2" x WOF strips. Subcut:


- five 4-1/2" x 8-1/2" rectangles for the Flying Geese

From the Binding Fabric, cut:


eight 2-1/2" x WOF strips

Assemble the Flying Geese

Step 1: Place a 4-1/2" Fabric A square RST at one end of a Fabric B rectangle. Mark a diagonal line on the wrong side of the square, as shown. Sew on the marked line and trim away the excess fabric, leaving a 1/4" seam allowance. Press toward the triangle.



Step 2: Repeat Step 1 at the remaining end of the rectangle. The resulting flying geese block should measure 4-1/2" x 8-1/2".



Step 3: Repeat with all remaining Fabric B-I rectangles.


Assemble the Quilt

Step 4: Arrange the Flying Geese units and Fabric A squares and rectangles to form Column 1, as shown in the Quilt Assembly Diagram. Note the fabric placement and block orientation.

Step 5: Sew the units together to form the column. Press the seams down.

Step 6: Repeat Steps 4 and 5 to assemble Columns 2-7, sewing the units together to form the columns. Press the seams down in the odd numbered columns and up in the even numbered columns.

Step 7: Sew the columns together to form the quilt center. Press the seams open or to one side.



Step 8: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!