SITTING PRETTY

Designed by Darlene Zimmerman www.feedsacklady.com

Featuring Windowsill Garden Darlene Fimmerman



Finished quilt measures: 52-1/2" x 58"

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADZ-17087-200 VINTAGE	2/3 yard (one full panel)		J	ADZ-17089-122 CAMELLIA	1/4 yard
the sale sale sale sale sale sale sale sal	В	ADZ-17093-122 CAMELLIA	1/4 yard or one FQ		K	ADZ-17091-122 CAMELLIA	1/4 yard
\(\frac{1}{2} \cdot \frac{1}{	C	ADZ-17093-73 LAKE	1/4 yard or one FQ		L	ADZ-17091-23 LAVENDER	1/4 yard
the state of the s	D	ADZ-17093-140 SCREAMIN' YELLOW	1/4 yard or one FQ		M	ADZ-17092-36 ALOE	1/4 yard
	E	ADZ-17092-122 CAMELLIA	1/3 yard		N	ADZ-17090-73 LAKE	1/4 yard
	F	ADZ-17088-56 POND	7/8 yards		Ο	ADZ-17088-36 ALOE	1/8 yard
	G	ADZ-17091-140 SCREAMIN' YELLOW	1/4 yard		Р	ADZ-17088-140 SCREAMIN' YELLOW	1/8 yard
	Н	ADZ-17090-56 POND	1/4 yard		Binding'	* ADZ-17088-56 POND *Also used for Fabric F	1/2 yard
	I	ADZ-17089-73 LAKE	1/4 yard	Copyright 2017, Robert Kaufman For individual use only - Not for resale You will also need: 3-3/8 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Set Fabric A aside for Step 1.

From each of Fabrics B-D, cut:

two 3-1/2" x WOF strips (or four 3-1/2" x 21" strips if using a FQ). Subcut: sixteen Companion Angle triangles

From Fabric E, cut:

five 2" x WOF strips. Sew together, end-to-end, then set aside for the Inner Border.

From Fabric F, cut:

six 4-1/2" x WOF strips. Sew together, end-to-end, then set aside for the Outer Border.

From each of Fabrics G-N, cut:

one 3-1/2" x WOF strip. Subcut: ten Easy Angle triangles two 2" x WOF strips. Subcut: two 2" x 9-1/2" sashes two 2" x 12-1/2" sashes

From each of Fabrics O and P, cut:

one 3-1/2" x WOF strip. Subcut: ten Easy Angle triangles

From the Binding Fabric, cut:

six 2-1/4" x WOF strips.

Embroidered Blocks

Step 1 Embroider each of the eight multi-colored blocks in Fabric A with 1 or 2 strands of floss, using the colors on the blocks as a guide. Press the blocks right side down on a fluffy towel. *Square up to 9-1/2"*.

Step 2 Using the 2" x 9-1/2" sashings, sew matching sashing strips to the top and bottom of each embroidered block. Press toward the sashing.



Step 3 Using the matching 2" x 12-1/2" sashing strips, sew to the sides of the blocks from Step 2. Arrange the blocks in two vertical rows of four blocks. Press the side sashes in alternating directions on the blocks. Sew the blocks together in rows. Press the seams to one side. Set aside.




Flying Geese Blocks


Step 1 Sew a small bright triangle (from Fabric G-P) to the right side of a large light triangle (from Fabrics B-D). Press toward the smaller triangle. Repeat to make forty-eight units.



Step 2 Sew a matching small bright triangle to the left side of the Step 1 units. Press toward the smaller triangle. Repeat to make forty-eight flying geese units. You will have four small triangles left over. At this point the unit should measure 3-1/2" x 6-1/2".



Step 3 Sew three vertical rows of sixteen flying geese units each. Press toward the bottom of the large triangle.



Step 4 Join the Embroidered block rows to the vertical rows of flying geese. Note the direction the geese are flying! Press the seams toward the embroider block rows.



Step 1 Measure and trim two Fabric E 2" wide inner borders the width of the quilt. Sew to the top and bottom of the quilt. Press toward the borders.

Step 2 Piece, measure and trim two Fabric E 2" wide inner borders the length of the quilt. Sew to the sides of the quilt. Press toward the borders.

Step 3 Repeat this procedure with the Fabric F 4-1/2" outer border strips. Press toward the outer borders.