


# SLANTED STRIPES RUNNER

Designed by Elise Lea for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring ARTISAN  
FABRICS Paisley Bouquet L<sup>www</sup>



Finished project measures: 55" x 12-1/2"











Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

*For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).*

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-22839-220 PANSY	1/2 yard		F	AMD-22836-470 HYDRANGEA	1/8 yard
	B	AMD-22838-426 TANZANITE	1/8 yard		G	AMD-22836-61 PERIWINKLE	1/8 yard
	C	AMD-22837-64 AZURE	1/8 yard		H	AMD-22840-247 CORNFLOWER	1/8 yard
	D	AMD-22836-249 CROCUS	1/8 yard		I	AMD-22836-63 SKY	1/8 yard
	E	AMD-22840-23 LAVENDER	1/8 yard		Binding	AMD-22839-69 MIDNIGHT	1/3 yard
<p>Copyright 2024, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 1-1/4 yards for backing</p>			

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, cut:

one 13-1/2" x WOF strip, subcut:

one 13-1/2" square, then cut the square once on the diagonal to yield two triangles.

### From each of Fabrics B-H, cut:

one 2-1/2" x WOF strip, subcut:

two 2-1/2" x 20-1/2" rectangles.

### From Fabric I, cut:

one 2-1/2" x WOF strip, subcut:


one 2-1/2" x 20-1/2" rectangle.

### From the Binding Fabric, cut:


four 2-1/2" x WOF strips.

## Assemble the Project Top

**Step 1:** Arrange the 2-1/2" Fabric B-I strips in a gradient pattern. When you are happy with the order of your strips, off set the ends of the strips by 2", then sew the strips together and press.



**Step 2:** Trim the staggered ends of the sewn unit by placing a ruler along the inner points of the strips and cutting along that line.



**Step 3:** Sew a Fabric A triangle to each end of the unit, then press.



Your project top is complete! Baste, quilt, bind, and enjoy!