SLICED

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring

CELEBRATE SEUSS !

C

В

R

S



Finished quilt measures: 76" x 95"

Difficulty Rating: Beginner

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.



Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions



From each of Fat Quarter, cut:

one 10-1/2" x WOF strip. Subcut: two 10-1/2" squares.

one 5-1/2" x WOF strip. Subcut: four 5-1/2" squares.

From Fabric A, cut:

thirty-five 1-1/2" x WOF strips. Subcut:
thirty 1-1/2" x 10-1/2" short horizontal sashing strips.
thirty-five 1-1/2" x 16-1/2" vertical sashing strips.
Sew the remaining ten strips together, end-to-end, then trim: six 1-1/2" x 67-1/2" long horizontal sashing strips.

From Fabric B, cut:

eight 5" x WOF strips. Sew the strips together, end-to-end, then trim: two 5" x 86-1/2" side borders two 5" x 76-1/2" top/bottom borders

From the Binding Fabric, cut:

nine 2-1/2" x WOF strips

Assemble the Blocks



Step 1: Gather: two 5-1/2" squares one 1-1/2" x 10-1/2" fabric A horizontal sashing strip one 10-1/2" square

Arrange the units as shown, forming an A Block.



Step 2: Sew the two 5-1/2" squares together. Press.



Step 3: Sew the 1-1/2" x 10-1/2" Fabric A horizontal sashing strip to the bottom of the unit. Press.

Step 4: Sew the 10-1/2" square to the bottom of the unit. Press to complete one A Block. Make a total of fifteen.





Step 5: Gather: one 10-1/2" square one 1-1/2" x 10-1/2" fabric A horizontal sashing strip two 5-1/2" squares



Arrange the units as shown, forming a B Block.



Step 6: Sew the two 5-1/2" squares together. Press.



Step 7: Sew the 1-1/2" x 10-1/2" Fabric A horizontal sashing strip to the top of the unit. Press.

Step 8: Sew the 10-1/2" square to the top of the unit. Press to complete one B Block. Make a total of fifteen.



Assemble the Quilt

Step 9: Arrange the blocks together as indicated in the Quilt Assembly Diagram. Notice how the A and B Blocks alternate across the rows and each row is alike. Sew each row together, using a 1-1/2" x 16-1/2" Fabric A vertical sashing strip between each block and on both ends. Press the seams towards the sashing. Repeat to make five rows.





Step 10: Sew the Fabric A 1-1/2" x 67-1/2" long horizontal sashing strips in between each row and on the top and bottom of the quilt center. Press towards the sashing strips.

Step 11: Sew the side borders to the sides of the quilt center. Press towards the borders. Sew the top and bottom borders to the quilt center. Press towards the borders.

Your quilt top is complete! Baste, quilt, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.