

SNOW DRIFT

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **IT'S CHILLY OUTSIDE**
Laurie Wisbrun



Finished quilt measures: 54-1/2" x 60"


Difficulty Rating: **Beginner**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWN-17310-88 ICE	1/3 yard (1/2 panel)		E	AWN-17309-88 ICE	3/4 yard
	B	AWN-17306-3 RED	1/2 yard		F	K001-846 SEA GLASS	3/8 yard
	C	AWN-17307-88 ICE	7/8 yard		G	K001-1387 WHITE	2/3 yard
	D	AWN-17308-88 ICE	7/8 yard		Binding*	AWN-17306-3 RED <small>*Also used for Fabric B</small>	1/2 yard
<p>Copyright 2018, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

four 10" squares

From Fabric B, cut:

one 6-1/4" x WOF strip. Subcut:

six 6-1/4" squares

one 2-1/2" x WOF strip. Subcut:

four 2-1/2" squares

two 3-3/8" x WOF strips. Subcut:

twenty-four 3-3/8" squares

From Fabric C, cut:

one 6-1/4" x WOF strip. Subcut:

six 6-1/4" squares

one 2-1/2" x WOF strip. Subcut:

four 2-1/2" squares

two 3-3/8" x WOF strips. Subcut:

twenty-four 3-3/8" squares

six 2" x WOF strips. Sew together, end-to-end, then cut:

two 2" x 46-1/2" strips for the sides of Border 3

two 2" x 49" strips for the top/bottom of Border 3

From Fabric D, cut:

three 3-1/2" x WOF strips. Sew together, end-to-end, then cut:

two 3-1/2" x 49-1/2" strips for the sides of Border 4

three 6" x WOF strips. Sew together, end-to-end, then cut:

two 6" x 55" strips for the top/bottom of Border 4

From Fabric E:

fussy cut four 2-1/2" x WOF strips, centering the motifs in a stripe. Trim to:

two 2-1/2" x 40" strips for the top/bottom of Border 1

two 2-1/2" x 38-1/2" strips for the sides of Border 1

From Fabric F, cut:

four 2-3/4" x WOF strips. Subcut:

two 2-3/4" x 30-1/2" strips

two 2-3/4" x 20-1/2" strips

two 2-3/4" x 10-1/2" strips

From Fabric G, cut:

four 2-3/4" x WOF strips. Subcut:

two 2-3/4" x 30-1/2" strips

two 2-3/4" x 20-1/2" strips

two 2-3/4" x 10-1/2" strips

two 1-1/2" x WOF strips. Subcut:

two 1-1/2" x 42-1/2" strips for the sides of Border 2

three 2-1/2" x WOF strips. Sew together, end-to-end, then cut:

two 2-1/2" x 46" strips for the top/bottom of Border 2

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Flying Geese Units

Note: This quilt uses a time saving construction method for making flying geese blocks. You will make the flying geese units four at a time, so do not be alarmed if the cut sizes seem too large for the final block.




Step 1: Pin two 3-3/8" Fabric B squares in opposing corners of a 6-1/4" Fabric C square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.

Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 4: Place one 3-3/8" Fabric B square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 3" x 5-1/2" if necessary. Repeat to make four flying geese blocks.



Step 6: Repeat with all remaining 3-3/8" Fabric B squares and 6-1/4" Fabric C squares to make a total of twenty-four B/C flying geese blocks.

Step 7: Repeat Steps 1-6 with all 3-3/8" Fabric C squares and 6-1/4" Fabric B squares to make a total of twenty-four C/B flying geese blocks.




Assemble the Quilt Center

Make Row 1

Step 8: Gather six of each flying geese block style (six B/C and six C/B). Sew together in a row, along the longest edge, alternating styles and starting with a B/C unit. Press the seams to one side.



Step 9: Sew a 30-1/2" Fabric G strip to the top and a 30-1/2" Fabric F strip to the bottom of the row. Press toward the strips. Sew a Fabric A square to the left edge of the row, noting the orientation of the pieced unit. Press toward the square.



Make Row 2

Step 10: Gather two of each flying geese block style (two B/C and two C/B). Sew together in a row, along the longest edge, alternating styles and starting with a B/C unit. Press the seams to one side.



Step 11: Gather four of each flying geese block style (four B/C and four C/B). Sew together in a row, along the longest edge, alternating styles and starting with a C/B unit. Press the seams to one side.



Step 12: Sew a 10-1/2" Fabric G strip to the top and a 10-1/2" Fabric F strip to the bottom of the Step 10 row. Press toward the strips. Sew a 20-1/2" Fabric G strip to the top and a 20-1/2" Fabric F strip to the bottom of the Step 11 row. Press toward the strips. Sew a Fabric A square between the two units, noting the orientation of the pieced units. Press toward the square.



Make Row 3

Step 13: Gather four of each flying geese block style (four B/C and four C/B). Sew together in a row, along the longest edge, alternating styles and starting with a B/C unit. Press the seams to one side.



Step 14: Gather two of each flying geese block style (two B/C and two C/B). Sew together in a row, along the longest edge, alternating styles and starting with a C/B unit. Press the seams to one side.



Step 15: Sew a 20-1/2" Fabric G strip to the top and a 20-1/2" Fabric F strip to the bottom of the Step 13 row. Press toward the strips. Sew a 10-1/2" Fabric G strip to the top and a 10-1/2" Fabric F strip to the bottom of the Step 14 row. Press toward the strips. Sew a Fabric A square between the two units, noting the orientation of the pieced units. Press toward the square.




Make Row 4

Step 16: Gather six of each flying geese block style (six B/C and six C/B). Sew together in a row, along the longest edge, alternating styles and starting with a C/B unit. Press the seams to one side.




Step 17: Sew a 30-1/2" Fabric G strip to the top and a 30-1/2" Fabric F strip to the bottom of the row. Press toward the strips. Sew a Fabric A square to the right edge of the row, noting the orientation of the pieced unit. Press toward the square.



Step 18: Sew Rows 1-4 together, in order. Press the seams to one side.

Add the Borders



Step 19: Sew the Fabric E side Border 1 pieces to the quilt center. Press toward the borders. Sew a Fabric B square to each end of the remaining Fabric E border strips. Press. Sew the Fabric E top and bottom Border 1 pieces to the quilt center. Press toward the borders. Note the orientation of each of these borders in the Quilt Assembly Diagram.

Step 20: Sew the Fabric G side Border 2 pieces to the quilt center. Press toward the borders. Sew the Fabric G top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 21: Sew the Fabric C side Border 3 pieces to the quilt center. Press toward the borders. Sew the Fabric C top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Step 22: Sew the Fabric D side Border 4 pieces to the quilt center. Press toward the borders. Sew the Fabric D top and bottom Border 4 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!