

Dr. Seuss™

™ & © Dr. Seuss Enterprises, L.P. All Rights Reserved.

featuring the



fabric collection

FREE!
PATTERN

Download this
pattern FREE
online from
Robert Kaufman
Fabrics

designed
by Rachel Griffith
Designs for
Robert Kaufman
Fabrics

Speak for the Trees

Panel Quilt, Bright colorstory



ROBERTKAUFMAN
F A B R I C S

www.robertkaufman.com

66" x 79"

Dr. Seuss™

™ & © Dr. Seuss Enterprises, L.P. All Rights Reserved.

featuring the



fabric collection



Download this
pattern FREE
online from
Robert Kaufman
Fabrics

designed
by Rachel Griffith
Designs for
Robert Kaufman
Fabrics

Speak for the Trees

Panel Quilt, Earth colorstory



ROBERTKAUFMAN
F A B R I C S

www.robertkaufman.com

66" x 79"

Speak For the Trees quilt pattern, designed by Rachel Griffith of P.S. I Quilt

finished quilt measures 66" x 79"

Yardage Requirements

(1) Lorax panel 2/3yd

Bright colorstory

ADE-11835-195

Earth colorstory

ADE-11835-169

(5) 1/4yd cuts for 25-patches
and panel block frames

*these are used in one

25-patch & one panel block

ADE-11839-195*

ADE-11838-216

ADE-11838-246**

ADE-11837-195

ADE-11841-195

ADE-11836-16*

ADE-11838-66

ADE-11838-169**

ADE-11841-169

ADE-11839-169

(3) 3/8yd cuts for 25-patches
and panel block frames

*these fabrics are used in more
than one of each block type

ADE-11836-195

ADE-11838-195

ADE-11840-195

ADE-11836-169

ADE-11838-209

ADE-11840-169

2-1/2yds
background

Pure Organic - White

Pure Organic - White

1-1/2yds
border (this print is also used
in the blocks)

ADE-11838-246**

ADE-11838-169**

3/4yd
binding (this print is also used
in the blocks)

ADE-11839-195*

ADE-11836-16*

4-1/2yds
backing

Your Choice

Your Choice

Cutting Instructions

From the panel:

Cut each panel block to measure 7" x 10-1/4".

From 1/4yd block prints:

Cut (2) 3-1/2" x WOF strips. Sub-cut into (8) 3" squares and
(2) 3-1/2" x 10-1/4" strips.

Cut (1) 2" x WOF strip. Sub-cut into (2) 2" x 13" strips.

From 3/8yd block prints:

Cut (3) 3-1/2" x WOF strips. Sub-cut into (16) 3" squares,
(4) 3-1/2" x 10-1/4" strips, and (2) 2" x 13-1/2" strips.

Cut (1) 2" x WOF strip. Sub-cut into (2) 2" x 13" strips.

From background:

Cut (13) 3" x WOF strips. Sub-cut into (170) 3" squares.

Cut (18) 1-1/2" x WOF strips. Sub-cut into (15) 1-1/2" x 13" strips.

Sub-cut and piece together (4) 1-1/2" x 53-1/2" strips,

(2) 1-1/2" x 55-1/2" strips, and (2) 1-1/2" x 67" strips.

From border print:

Cut (8) 5-1/2" x WOF strips. Sub-cut and piece together

(2) 5-1/2" x 65-1/2" strips and (2) 5-1/2" x 69" strips.

From binding:

Cut (8) 2-1/2" x WOF strips.

Assembly Instructions

For panel blocks:

Sew a 3-1/2" x 10-1/4" strip to each side of the panel block. Sew a 2" x 13-1/2" strip to the top & bottom of each panel block. Press all seams toward the panel. Repeat to make (10) panel blocks total.

For 25-patch blocks:

Piece blocks together from 3" squares following this order for each row:

Row 1 - solid / solid / solid / print / solid

Row 2 - print / solid / print / solid / solid

Row 3 - solid / print / solid / print / solid

Row 4 - solid / solid / print / solid / print

Row 5 - solid / print / solid / solid / solid

Repeat to make (10) total 25-patch blocks.

The quilt is a 4 x 5 block layout. *Note: the quilt top will lay smoother if you press all seams towards the sashing.*

Join blocks together in (5) rows of (4) blocks each, adding vertical sashing between each block, using the quilt image as a guide.

Add horizontal sashing between each row, joining rows together.

Add outer sashing to the top and bottom of the quilt top. Add outer sashing to the sides of the quilt top.

Add borders to the top and bottom of the quilt top. Add borders to the sides of the quilt top.

Layer, baste, quilt, & bind as desired.