

Spotted Safari

Designed by Robert Kaufman Fabrics

Featuring **THE WILD SIDE**



Finished project measures 52" x 62"

Pattern Level: Experienced Intermediate

"I know the ropes and would like to test my skills!"

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AGX-15167-286 WILD	3/4 yard		E	ETJ-9864-126 OCHRE	3/8 yard
	B	ETJ-9864-14 NATURAL	3/8 yard		F	ETJ-9864-136 BUTTERCUP	1/2 yard
	C	ETJ-9864-15 IVORY	1-1/8 yard		G	ETJ-9864-180 RUSSET	5/8 yard
	D	ETJ-9864-105 GARNET	1/2 yard	You will also need: 4 yards Backing Fabric 3/8 yards Binding Fabric 60" x 70" Quilt Batting			

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

- Fussy-cut four rectangles 11-1/2" x 16-1/2".

Fabric B

- Cut five strips 2" x WOF.

Fabric C

- Cut two strips 6-1/2" x WOF, then subcut into nine squares 6-1/2" x 6-1/2"
- Cut three strips 7" x WOF, then subcut into thirty-six rectangles 3-1/2" x 7".
- Cut three strips 6-1/2" x WOF, then subcut into thirty-six rectangles 3-1/2" x 6-1/2".

Fabric D

- Cut five strips 2" x WOF.
- Cut four squares 2-5/8" x 2-5/8".

Fabric E

- Cut eight squares 2-1/2" x 2-1/2", then subcut once on the diagonal (Large Triangles).
- Cut four squares 4-1/4" x 4-1/2", then subcut twice on the diagonal (Small Triangles).
- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2".

Fabric F

- Cut five strips 2" x WOF.
- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2".


Fabric G

- Cut five strips 2" x WOF.
- Cut one strip 2-5/8" x WOF, then subcut into sixteen squares 2-5/8" x 2-5/8".
- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2".

Assembly Instructions

Step One: Make the Strip Sets

- Sew a Fabric B, D, F and G strip together lengthwise in the order pictured (fig. 1). Repeat to make a total of five strip sets. Strip sets will measure 6-1/2" x WOF.



- From the strip sets cut six rectangles 6-1/2" x 11-1/2" and six rectangles 6-1/2" x 16-1/2".


Step Two: Assemble the Quilt Top Center

- Assemble the rows as pictured (fig. 2).

Rows 1, 3 & 5 will each consist of two 6-1/2" x 11-1/2" strip set rectangles and three squares 6-1/2" x 6-1/2".

Rows 2 & 4 will each consist of two Fabric A rectangles and three 6-1/2" x 16-1/2" strip set rectangles.

- Sew the rows together to complete the center quilt top. Set aside.



Step Three: Assemble the Corner Blocks

- Sew a Fabric G 2-5/8" square to either side of a Fabric D 2-5/8" square (fig. 3). Press seam allowances toward the outer square.
- Sew a Fabric E large triangle to either side of a Fabric G 2-5/8" square (fig. 4). Press seam allowances toward inner square. Repeat to make a second E/G unit.
- Sew an E/G unit to each long side of the D/G unit (fig. 5).
- Sew a Fabric E small triangle to each Fabric G square (fig. 6).
- Trim block to 6-1/2" x 6-1/2".
- Repeat to make a total of four blocks.




fig. 3




fig. 4






fig. 5




Step Four: Paper-piece the Triangle Blocks

- Paper-piece a Template A rectangle using a Fabric E 6-1/2" square and two Fabric C 3-1/2" x 7" rectangles. Repeat to make a total of six Template A rectangles using Fabrics C & E.
- Make six Template A rectangles using Fabrics C & F and six using Fabrics C & G.
- Paper-piece a Template B rectangle using a Fabric E 6-1/2" square and two Fabric C 3-1/2" x 6-1/2" rectangles. Repeat to make a total of six Template B rectangles using Fabrics C & E.
- Make six Template B rectangles using Fabrics C & F and six using fabrics C & G.
- Trim edges of rectangles along gray seam allowance lines and gently remove the papers (fig. 7).



Step 5: Assemble the Borders

- Assemble the borders as pictured (fig. 8).
Make two Side Borders and two
Top/Bottom Borders.



Step Six: Attach the Borders

- Sew the Side Borders to the Quilt Top Center, orienting the triangles in the direction pictured (fig. 9).
- Sew the Top & Bottom Borders to the Quilt Top Center, also orienting the triangles in the direction pictured.




Your quilt top is complete!
Baste, quilt, bind and enjoy.

Spotted Safari: "Grey" Colorway



Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AGX-15167-12 GREY	3/4 yard		E	ETJ-9864-185 STEEL	1/2 yard
	B	ETJ-9864-187 PLATINUM	3/8 yard		F	ETJ-9864-12 GREY	3/8 yard
	C	ETJ-9864-14 NATURAL	1-1/8 yards		G	ETJ-9864-155 STONE	2/3 yard
	D	ETJ-9864-184 CHARCOAL	2/3 yard	<p>You will also need: 4 yards Backing Fabric 3/8 yards Binding Fabric 60" x 70" Quilt Batting</p>			

Cutting Instructions

For the "Grey" Colorway, you will be making Triangle Blocks from Fabrics D, F & G instead of Fabrics D, E & F. Strip sets will be made from Fabrics B, D, E & G instead of Fabrics B, D, F & G. All other instructions will remain the same.

Fabric A

- Fussy-cut four rectangles 11-1/2" x 16-1/2".

Fabric B

- Cut five strips 2" x WOF.

Fabric C

- Cut two strips 6-1/2" x WOF, then subcut into nine squares 6-1/2" x 6-1/2"
- Cut three strips 7" x WOF, then subcut into thirty-six rectangles 3-1/2" x 7".
- Cut three strips 6-1/2" x WOF, then subcut into thirty-six rectangles 3-1/2" x 6-1/2".

Fabric D

- Cut five strips 2" x WOF.
- Cut four squares 2-5/8" x 2-5/8".
- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2"

Fabric E

- Cut eight squares 2-1/2" x 2-1/2", then subcut once on the diagonal (Large Triangles).
- Cut four squares 4-1/4" x 4-1/2", then subcut twice on the diagonal (Small Triangles).
- Cut five strips 2" x WOF.

Fabric F


- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2"

Fabric G

- Cut five strips 2" x WOF.
- Cut one strip 2-5/8" x WOF, then subcut into sixteen squares 2-5/8" x 2-5/8".
- Cut one strip 6-1/2" x WOF, then subcut into six squares 6-1/2" x 6-1/2".
- Cut one strip 5" x WOF, then subcut into six rectangles 5" x 6-1/2".

Spotted Safari


Template A
print 18 at 100%



ROBERT KAUFMAN
F A B R I C S

Spotted Safari

Template B
print 18 at 100%



ROBERT KAUFMAN
F A B R I C S