SUNNY STUDIES

Designed by Robert Kaufman Fabrics www.robertkaufman.com

Featuring Vincent van Gogh



Finished quilt measures: 60" x 80"

Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AVG-15797-125 SUNFLOWER	2/3 yard (one panel)		F	AVG-15801-125 SUNFLOWER	3/4 yard
	В	AVG-15799-179 RUST	1/4 yard		G	AVG-15799-45 MOSS *includes binding	1-3/8 yard
	С	AVG-15799-173 CARAMEL	1/4 yard		Н	AVG-15873-125 SUNFLOWER	1/4 yard
1794 1894 1894 1894 1894	D	AVG-15801-169 EARTH	5/8 yard		I	AVG-15873-161 STRAW	1-3/8 yard
again gradula de e visas proposas procesos por cada procesos por cada procesos por cada de la proceso por cada de la proceso por cada de la 201 que la como la	E	AVG-15798-265 PARCHMENT	7/8 yard			will also need: ds for backing	
				Copyright 2016, Robert Kaufman For individual use only - Not for resale			

Note: The Fabric A panel is digitally printed in order to achieve the color that best matches the original paintings.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

Fussy cut the panel to 22" x 42"

From each of Fabrics B and C, cut:

two 3-3/4" x WOF strips. Sew together end-to-end, then trim to yield:

one 3-3/4" x 31-1/2" strip

one 3-3/4" x 49-1/2" strip

From Fabric D, cut:

six 2-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 2-1/2" x 48-1/2" strips

two 2-1/2" x 64-1/2" strips

From Fabric E, cut:

one 7" x WOF strip. Subcut:

four 7" squares. Cut each square once on the diagonal.

two 6" squares. Cut each square once on the diagonal.

two 6" x WOF strips. Subcut:

fourteen 6" squares. Cut each square once on the diagonal.

one 4-1/2" x WOF strip. Subcut:

two 4-1/2" x 12-1/2"

From Fabric F, cut:

six 3-3/8" x WOF strips. Subcut*:

sixteen 3-3/8" x 12" rectangles

eight 3-3/8" x 5-3/4" rectangles

*cutting tip: cut three 12" strips & one 5-3/4" strip from each of five strips. From the sixth

strip, cut one 12" strip & three 5-3/4" strips

one 2-1/2" x WOF strip. Subcut:

two 2-1/2" x 12-1/2" rectangles

From Fabric G, cut:

four 3-3/8" x WOF strips. Subcut:

thirty-two 3-3/8" x 5-1/4" rectangles

one 2-1/2" x WOF strip. Subcut:

two 2-1/2" x 12-1/2"

four 2-1/2" squares

eight 2-1/2" x WOF strips for binding

From Fabric H, cut:

two 3-3/8" x WOF strips. Subcut:

twenty 3-3/8" squares

From Fabric I, cut:

seven 6-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 6-1/2" x 60-1/2" border strips


two 6-1/2" x 68-1/2" border strips

Frame the Quilt Center

Step 1: Center and pin a 31-1/2" Fabric B strip to the top of the panel. Sew, starting and stopping $\frac{1}{4}$ " from the edge of the panel to leave room for mitering.

Center and pin a 49-1/2" Fabric B strip to the left side of the panel. Sew, starting and stopping $\frac{1}{4}$ " from the edge of the panel to leave room for mitering.


Center, pin and sew the Fabric C strips to the bottom and right side of the border, stopping 1/4" on either side of each seam to leave room for mitering.





Step 2: Fold the quilt diagonally, right sides together and align two of the borders directly on top of each other.

Use your ruler to draw a line from the corner of the quilt to the edge of the border.




Step 3: Trim off excess border along line and sew 1/4" in from the edge. Begin at the point where your border stitching had ended and sew to the edge of the border. The framed panel should measure 28-1/2" x 48-1/2".

Assemble the Corner Blocks

Step 1: Sew a Fabric H square between two 3-3/8" x 5-1/4" Fabric F rectangles. Repeat to make four units.





Step 5: Sew a Fabric FH unit between two 7" Fabric E triangles, centering the triangle along the length of the FH unit. Trim to 8-1/2" square.


Step 6: Place a 2-1/2" Fabric G square RST at one corner of the block. Sew a scant seam (just below the exact diagonal so that your block will still measure 8-1/2" square) along the diagonal & trim 1/4" from your seam. Repeat to make four corner blocks.



Assemble the Border Blocks


Step 7: Sew a Fabric H square between two 3-3/8" x 5-1/4" Fabric G rectangles. Repeat to make sixteen Fabric GH units.






Step 8: Sew a 12" Fabric F rectangle between two Fabric E 6" triangles, centering the triangle along the length of the rectangle. Trim to 7" x 7". Cut along the diagonal perpendicular to the seams, creating two pieced triangles.

Step 9: Sew a Fabric GH unit between the EF triangle units, lining up the seams of the square in the center of the strip with the seams of the triangles. Trim the block to 8-1/2" x 8-1/2", centering the square. Repeat to make sixteen blocks.



Step 10: Sew a 2-1/2" x 12-1/2" Fabric G and Fabric F strip to either side of a 4-1/2" x 12-1/2" Fabric E rectangle. Repeat to make two Rectangle Blocks. Set aside of for the top and bottom pieced borders.

Step 11: Sew six Border Blocks together, as illustrated, to make a side pieced border.



Repeat to make a second side pieced border. Sew two Border Blocks, two Corner Blocks and one Rectangle Block (From Step 10), as illustrated, to make the top pieced border.



Repeat to make the bottom pieced border.

Assemble the Quilt



Step 12: Sew the side pieced borders to the quilt center, pressing seams toward the quilt center. Sew the top and bottom pieced borders to the quilt center, pressing seams toward the quilt center.

Step 13: Sew the 2-1/2" x 64-1/2" Fabric D strips to the sides of the quilt center, pressing seams toward the strips. Sew the 2-1/2" x 48-1/2" Fabric D strips to the top and bottom of the quilt center, pressing seams toward the strips.

Step 14: Sew the 6-1/2" x 68-1/2" Fabric I borders to the sides of the quilt center, pressing seams toward the borders. Sew the 6-1/2" x 60-1/2" Fabric I borders to the top and bottom of the quilt center, pressing seams toward the borders.

Your quilt top is now complete! Baste, quilt, bind and enjoy!