

SWEATER WEATHER

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring *Wishwell*® *Snow Snuggles Flannel*
Vanessa Lillrose & Linda Fitch



Finished quilt measures: 56" x 69"

Difficulty Rating: **Intermediate**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	F019-1387 WHITE	3-1/3 yards		G	WELF-20964-129 MARIGOLD	1/3 yard
	B	WELF-20961-277 WINTER	1/3 yard		H	WELF-20966-438 NIGHT	1/3 yard
	C	WELF-20964-32 MINT	1/3 yard		I	WELF-20965-87 SNOW	1/3 yard
	D	WELF-20961-80 EVENING	1/3 yard		J	WELF-20965-217 GLACIER	1/3 yard
	E	WELF-20966-119 MAUVE	1/3 yard		Binding*	WELF-20966-438 NIGHT	1/2 yard
	F	WELF-20963-404 WOODROSE	1/3 yard	<i>*Also used for Fabric H</i>			
Copyright 2022, Robert Kaufman For individual use only - Not for resale				You will also need: 3-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 5-1/4" x WOF strips. Subcut:

fourteen 5-1/4" squares for the Flying Geese

seven 4-1/2" x WOF strips. Subcut:

fifty 3" x 4-1/2" rectangles for the Half-Blocks

eighty 1-1/2" x 4-1/2" rectangles for the Blocks

six 3" x WOF strips. Subcut:

eighty 3" squares for the HSTs

four 2-7/8" x WOF strip. Subcut:

fifty-six 2-7/8" squares for the Flying Geese

eleven 2-1/2" x WOF strips. Subcut:

one hundred 2-1/2" squares for the Square-in-a-Square Units.

Mark a diagonal line on the back of each square.

eighty 2-1/2" square for the Blocks

eleven 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

eight 1-1/2" x 56-1/2" Fabric A strips for the Zig Zag Rows

From each of Fabrics B-F, cut:

two 3" x WOF strips. Subcut:

sixteen 3" squares for the HSTs

one 2-1/2" x WOF strip. Subcut:

sixteen 2-1/2" squares for the Blocks

From Fabric G, cut:

two 4-1/2" x WOF strips. Subcut:

thirteen 4-1/2" squares for the Square-in-a-Square Units

From Fabric H, cut:

two 4-1/2" x WOF strips. Subcut:

twelve 4-1/2" squares for the Square-in-a-Square Units

one 1-1/2" x WOF strip. Subcut:

twenty 1-1/2" squares for the Blocks

From each of Fabrics I and J, cut:

one 5-1/4" x WOF strip. Subcut:

seven 5-1/4" squares for the Flying Geese

two 2-7/8" x WOF strip. Subcut:


twenty-eight 2-7/8" squares for the Flying Geese

From the Binding, cut:

seven 2-1/2" x WOF strips.

Assemble the Half-Blocks

Step 1: Place a 2-1/2" Fabric A square in the upper right corner of a Fabric G square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat on each of the remaining corners with another 2-1/2" Fabric A square. The resulting Square-in-a-Square (SIAS) unit should measure 4-1/2" square.



Step 2: Repeat Step 1 to make thirteen Fabric G SIAS units and twelve Fabric H SIAS units.



Step 3: Gather:
two 3" x 4-1/2" Fabric A rectangles
one Fabric G SIAS unit

Step 4: Sew the rectangles to the top and bottom edges of the SIAS unit. Press the seams toward the rectangles. The resulting Half-Block should measure 4-1/2" x 9-1/2". Repeat to make thirteen from Fabric G and twelve from Fabric H.

Assemble the Blocks

Step 5: Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make thirty-two A/B HSTs.



Step 6: Repeat Step 5 to make:



thirty-two A/C HSTs



thirty-two A/D HSTs



thirty-two A/E HSTs



thirty-two A/F HSTs




Step 7: Gather:
one 2-1/2" Fabric B square
one 2-1/2" Fabric A square
two A/B HSTs

Arrange the units into two rows of two. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 8: Sew the squares together to form the rows. Press the seams in opposite directions.

Step 9: Sew the rows together, nesting the seams and pressing the seams to one side to form the four-patch.

Step 10: Repeat Steps 7-9 to make four A/B Four-Patch units.



Step 11: Gather:

one 1-1/2" Fabric H square
four 1-1/2" x 4-1/2" Fabric A rectangles
four A/B Four-Patch units


Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 12: Sew the squares together to form the rows. Press the seams away from the Fabric A rectangles.

Step 13: Sew the rows together, nesting the seams and pressing the seams to one side to form the Block. The resulting Block should measure 9-1/2" square. Make four B Blocks like this.




Step 14: Repeat Steps 7-13 to make:




four C Blocks



four D Blocks



four E Blocks




four F Blocks

Assemble the Block Rows

Step 15: Gather:

one Block in each of Fabrics B, C, D and E
three Fabric G Half-Blocks
two Fabric H Half-Blocks

Arrange together to form Row 1, noting the fabric placement and block orientation in the diagram. Sew together and press.




Step 16: Repeat to make Block Rows 2-5.

Assemble the Zig Zag Rows


Step 17: Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric J square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




Step 18: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 19: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 20: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 21: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four J/A flying geese blocks.



Step 22: Repeat with all remaining 2-7/8" Fabric A, I and J squares and 5-1/4" Fabric J, A and I squares to make a total of:



twenty-eight J/A
flying geese units



twenty-eight A/J
flying geese units



twenty-eight I/A
flying geese units



twenty-eight A/I
flying geese units


Step 23: Sew one J/A unit to an A/J unit, as shown. Take extra care to match the Fabric J edges. Press the seam open. Repeat to make twenty-eight units like this.




Step 24: Repeat Step 23 to make twenty-eight units with the Fabric I flying geese.




Step 25: Sew fourteen Step 23 units together to form a row. Press. Sew a 1-1/2" x 56-1/2" Fabric A strip to the top and bottom of the row. Press toward the strips. This is a Zig Zag Row. Make two from Fabric J.



Step 26: Repeat Step 24 to make two rows with the Fabric I flying geese.



Assemble the Quilt



Step 27: Arrange the Block Rows and Zig Zag Rows together. Note the fabric placement and row orientation in the Quilt Assembly Diagram.

Step 28: Sew the rows together to form the quilt. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.