SWIRLING STARS RUNNER



Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

rable amounts based on yardage mans 42 mae.							
Color Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage	
	CHS-1021-42 SCARLET'S GARDEN	One Charm Square Pack		В	FLH-20647-2 BLACK	3/8 yard	
Plus additional yardage of:				D: 1: 4	5111 00 (17 0	0.40	



A FLH-20013-231 1-1/4 yard NIGHTFALL

Copyright 2021, Robert Kaufman For individual use only - Not for resale



You will also need: 2 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Arrange the Charm Packs squares into eighteen sets of two squares: one print for the inside of the Star, and one print for the Star Points. (you will have some squares left over)

From each of the sets, cut:

one 3-1/2" square for the block center four 2-3/8" squares for the flying geese

From Fabric A, cut:

two 6-1/2" x WOF strips. Subcut:
eighteen 3-1/2" x 6-1/2" rectangles
two 4-1/4" x WOF strips. Subcut:
eighteen 4-1/4" squares for the flying geese
four 2" x WOF strips. Subcut:
seventy-two 2" squares for the block corners

six 1-1/2" x WOF strips. Sew the strips together, end-to-end, then trim: three 1-1/2" x 54-1/2" column sashing strips two 1-1/2" x 21-1/2" top/bottom inner borders

From Fabric B, cut:

five 2-1/2" x WOF strips. Sew the strips together, end-to-end, then trim: two 2-1/2" x 56-1/2" side outer borders two 2-1/2" x 25-1/2" top/bottom outer borders

From the Binding Fabric, cut:

five 2-1/2" x WOF strips

Assemble the Flying Geese

Step 1: Pin two matching 2-3/8" squares in opposing corners of a 4-1/4" Fabric A square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 4: Place one matching 2-3/8" square at the corner of sewn block unit. Draw a diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set the seam (press). Cut along diagonal line, creating two identical units.



Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to $2'' \times 3-1/2''$ if necessary. Repeat to make four flying geese blocks.



Step 6: Repeat with all remaining sets of 2-3/8" squares and 4-1/4" Fabric A squares to make a total of eighteen sets of four matching flying geese blocks.

Assemble the Blocks




Step 7: Gather: four 2" Fabric A squares four matching flying geese units one 3-1/2" square


Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 8: Sew the units together to form the rows. Press the seams toward the squares.

Step 9: Sew the a 3-1/2" x 6-1/2" Fabric A rectangle to the bottom edge of the unit. Press.




The resulting Block should measure 6-1/2" x 9-1/2". Repeat Steps 7-9 to make a total of eighteen Blocks.




Assemble the Columns

Step 10: Arrange nine Blocks to form one Column, using a random assortment of prints of your choosing. Note the block orientation in the Quilt Assembly Diagram.

Step 11: Sew the blocks together to form the column. Press. Repeat to make a total of two Columns.





page 4

Step 12: Arrange the columns and the Column Sashing together as shown. Note the row orientation in the Quilt Assembly Diagram.

Step 13: Sew the sashing and block rows together to form the center. Press seams open or to the sashing. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 14: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your runner top is finished! Baste, quilt, bind and enjoy!

