

Three Times Around

Designed by Valori Wells
www.valoriwells.com

Featuring
ashton road
Valori wells




























Finished quilt measures: 57" x 66-1/2"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AVW-14837-267 ADVENTURE	1/3 yard		L	AVW-14841-288 CABANA	1/3 yard
 <p style="text-align: center;">2 Ashton Road "Ten Squares" Packets (TEN-197-42) including the following fabrics:</p>					M	AVW-14841-326 EXTRACT	1/3 yard
	B	AVW-14838-267 ADVENTURE	1/3 yard		N	AVW-14841-328 VERMEIL	1/3 yard
	C	AVW-14839-193 SUMMER	1/3 yard		O	AVW-14842-19 ORCHID	1/3 yard
	D	AVW-14839-288 CABANA	1/3 yard		P	AVW-14842-40 EMERALD	1/3 yard
	E	AVW-14839-326 EXTRACT	1/3 yard		Q	AVW-14842-129 MARIGOLD	1/3 yard
	F	AVW-14840-47 GRASS	1/3 yard		R	AVW-14842-184 CHARCOAL	1/3 yard
	G	AVW-14840-62 INDIGO	1/3 yard		S	AVW-14842-226 PEONY	1/3 yard
	H	AVW-14840-70 AQUA	1/3 yard		T	AVW-14843-47 GRASS	1/3 yard
	I	AVW-14840-112 RASPBERRY	1/3 yard		U	AVW-14843-62 INDIGO	1/3 yard
	J	AVW-14840-184 CHARCOAL	1/3 yard		V	AVW-14843-155 STONE	1/3 yard
	K	AVW-14840-281 POMEGRANATE	1/3 yard		W	AVW-14843-302 POPPY	1/3 yard
					X	AVW-14843-332 PERSIMMON	1/3 yard

You will also need:
 1/2 yard Kona K001-490 Honeysuckle for binding • 3-1/2 yards backing if running widthwise,
 or 4 yards if running lengthwise • 60" x 74" quilt batting • Template Plastic

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Printing the Triangle Templates

- Print page 6 at 100% and then trace the Triangle and the Half Triangle to template plastic.
- Cut out along seam allowance line.

Cutting Instructions

Fabric A

- Cut four whole triangles from the tree house fabric as shown in Figure 1.



Figure 1

Fabrics B-X

- Choose seven of the fabric squares and cut two half triangles out of each as shown (Figure 2).
- Cut one whole triangle out of all but four of the remaining squares (Figure 3). (You will have four squares left over--you can use them to cut additional half triangles if you want more variety.)




Figure 2




Figure 3

Note: All sides of the triangles are not equal. When sewing, be sure to keep the cut-off tips of the whole triangles alternating at the top or the bottom of the rows, as shown (Figure 4).





Figure 4

Assembly Instructions

1. Referring to the illustration on page 1, lay out your triangles, with eleven whole triangles in each row, and a half triangle on each end.


Note: *The half triangles at the ends of the rows point in alternate directions with each row. You will need a total of seven rows.*

2. Referring to the illustration, start with Row 1.
Sew a half triangle to a whole triangle.
Place the two triangles right sides together, with the whole triangle on top.
Offset the top triangle 1/4" and sew (Figure 5).
Press toward the triangle you just sewed on.





Layer another whole triangle on top of the one you just sewed. Offset it 1/4" and sew (Figure 6).
Press toward the left.

Continue working across the row in this manner, sewing and pressing as you go, and adding a half triangle at the end. This will help keep your row straight.
Press all seam allowances in this row to the left (Figure 7).



Note: *You will be alternating which direction you press each row--odd rows to the left and even rows to the right. By doing this, your seams will "nest" when you sew the rows together.*

3. Referring to the illustration, sew Row 2, again beginning with a half triangle, but with the point at the top, and sew a whole triangle to it (Figures 8 & 9).
For this row, press your seam allowances toward the right each time (Figure 10).





4. Sew the rows together: Sew Row 1 to Row 2, then add Row 3, etc.
Press.
Continue sewing the quilt top together, until all 7 rows have been sewn and pressed.

5. Layer, quilt, and finish the quilt



Quilt Assembly Diagram





Half Triangle

Whole Triangle

Match dotted lines for missing part of whole triangle.