

TIED WITH A BOW

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring

Surrey Meadows



Finished quilt measures: 74" x 84"

Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ETJ-5573-190 JET	4 yards		I	SRKD-18925-156 LINEN	1/3 yard
	B	SRKD-18926-12 GREY	1-1/8 yards		J	SRKD-18923-2 BLACK	1/3 yard
	C	SRKD-18921-156 LINEN	1/3 yard		K	SRKD-18927-156 LINEN	1/3 yard
	D	SRKD-18923-12 GREY	1/3 yard		L	SRKD-18925-12 GREY	1/3 yard
	E	SRKD-18921-12 GREY	1/3 yard		M	SRKD-18924-238 GARDEN	1/3 yard
	F	SRKD-18927-10 PINK	1/3 yard		N	SRKD-18925-233 BERRY	1/3 yard
	G	SRKD-18922-233 BERRY	1/3 yard		O	SRKD-18927-12 GREY	1/4 yard
	H	SRKD-18921-2 BLACK	1/3 yard		Binding*	ETJ-5573-190 JET	2/3 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>*Also used for Fabric A</p>			
				<p>You will also need: 5-1/4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 8-1/2" x WOF strip. Subcut:
 six 6-1/2" x 8-1/2" rectangles
two 5-1/4" x WOF strips. Subcut:
 thirteen 5-1/4" squares for the flying geese
seven 5" x WOF strips. Subcut:
 fifty 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
 sixteen 4-1/2" squares
 six 4-1/2" x 8-1/2" rectangles
four 2-7/8" x WOF strips. Subcut:
 fifty-two 2-7/8" squares for the flying geese
fourteen 2-1/2" x WOF strips. Subcut:
 twenty-five 2-1/2" x 8-1/2" rectangles
 fifty 2-1/2" x 6-1/2" rectangles
fourteen 1-1/2" x WOF strips. Subcut:
 twenty-eight 1-1/2" x 2-1/2" rectangles
 thirty-six 1-1/2" x 4-1/2" rectangles
Sew the remaining eight strips together, end-to-end, then trim:
 two 1-1/2" x 74-1/2" side inner borders
 two 1-1/2" x 66-1/2" top/bottom inner borders

From Fabric B, cut:

eight 4-1/2" x WOF strips. Sew together, end-to-end, then trim:
 two 4-1/2" x 76-1/2" side outer borders
 two 4-1/2" x 74-1/2" top/bottom outer borders

From each of Fabrics C-N, cut:

one 5-1/4" x WOF strip. Subcut:
 two 5-1/4" squares for the flying geese
 Trim the remainder of the strip to 5" wide, then subcut:
 four 5" squares for the HSTs
one 2-7/8" x WOF strip. Subcut:
 four 2-7/8" squares for the flying geese
 Trim the remainder of the strip to 2-1/2" wide, then subcut:
 eight 2-1/2" squares

From Fabric O, cut:

one 5-1/4" x WOF strip. Subcut:

one 5-1/4" square for the flying geese

Trim the remainder of the strip to 5" wide, then subcut:

two 5" squares for the HSTs

Trim the remainder of the strip to 2-7/8" wide, then subcut:

four 2-7/8" squares for the flying geese

Trim the remainder of the strip to 2-1/2" wide, then subcut:

four 2-1/2" squares

From the Binding Fabric, cut:

nine 2-1/2" x WOF strips

Assemble the Half Squares Triangles


Step 1: Pair a 5" Fabric A square with a 5" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make eight A/C HSTs.



Step 2: Repeat Step 1 to make:



eight A/D HSTs



eight A/E HSTs




eight A/F HSTs



eight A/G HSTs



eight A/H HSTs




eight A/I HSTs




eight A/J HSTs



eight A/K HSTs



eight A/L HSTs



eight A/M HSTs



eight A/N HSTs



four A/O HSTs

Assemble the Flying Geese

Step 3: Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric C square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




Step 4: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 5: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 6: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 7: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four flying geese blocks.

Step 8: Repeat Steps 3-7 with all remaining 2-7/8" Fabric A squares and all 5-1/4" squares from Fabrics D-O to make four flying geese blocks from each Fabric. Note: two flying geese units from Fabric O will not be used.



Step 9: Repeat Steps 3-7 with all 2-7/8" Fabric C-O squares and all 5-1/4" Fabric A squares to make four flying geese blocks from each Fabric. Note: two flying geese units from Fabric O will not be used.



Assemble the Block Centers



Step 10: Gather:
one 2-1/2" x 8-1/2" Fabric A rectangle
four Fabric C squares
two Fabric A/C flying geese

Arrange the units to form three rows. Note the fabric placement and block orientation in the Assembly Diagram.

Step 11: Sew the units together to form the rows. Press the seams toward the squares.

Step 12: Sew the rows together, pressing the seam toward the Fabric A rectangle.

Step 13: Sew a 2-1/2" x 6-1/2" Fabric A rectangle to the left and right edges of the unit. Press toward the rectangles.

The block center should measure 6-1/2" x 8-1/2". Repeat Steps 10-13 to form two block centers from each of Fabrics C-N and one block center from Fabric O.



Step 14: Gather:

two 4-1/2" Fabric A squares
 three 4-1/2" x 8-1/2" Fabric A rectangles
 two A/C HSTs
 two A/D HSTs
 two A/E HSTs
 two A/F HSTs

Arrange as shown in the Quilt Assembly Diagram to form Row 1. Sew together and press.



Step 15: Repeat Step 14 to make all of the odd numbered rows, referring to the Quilt Assembly Diagram for proper fabric placement. Note the orientation of the HSTs in the rows.

Step 16: Gather:

Block Centers for Fabrics C, D, E and F
 two flying geese units each from Fabrics C, D, E and F
 four 1-1/2" x 2-1/2" Fabric A rectangles
 six 1-1/2" x 4-1/2" Fabric A rectangles

Arrange as shown in the Quilt Assembly Diagram to form Row 2. Sew together and press.



Step 17: Repeat Step 16 to make Rows 6, 10 and 14, referring to the Quilt Assembly Diagram for proper fabric placement.

Step 18: Gather:

Block Centers for Fabrics G, H and I
 two flying geese units each from Fabrics G, H and I
 four 1-1/2" x 2-1/2" Fabric A rectangles
 four 1-1/2" x 4-1/2" Fabric A rectangles
 two 6-1/2" x 8-1/2" Fabric A rectangles

Arrange as shown in the Quilt Assembly Diagram to form Row 4. Sew together and press.



Step 19: Repeat Step 18 to make Rows 8 and 12, referring to the Quilt Assembly Diagram for proper fabric placement.

Assemble the Quilt



Step 20: Arrange the rows in order to form the Quilt Center. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 21: Sew the rows together to form the quilt center. Press the row seams open.

Step 22: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 23: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.