TWIN STAR

Designed by Debbie Beaves for RK www.robertkaufman.com

Featuring





Finished quilt measures: 84" x 108"

Difficulty Rating: Intermediate



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color I	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	Α	FLH-20013-14 NATURAL	3-1/2 yards		F	FLH-21701-14 NATURAL	1-1/3 yards
	В	FLH-21701-2 BLACK	3/4 yard		G	FLH-21699-2 BLACK	5/8 yard
	С	FLH-21700-205 MULTI	1-1/8 yards		Н	FLH-21699-3 RED	1-3/4 yards
	D	FLH-21700-7 GREEN	3/8 yard		Binding	FLH-21704-2 BLACK	3/4 yard
	Е	FLH-21703-7 GREEN	3/8 yard			vill also need: ards for backing	
	2023, Robert Kaufmar use only - Not for reso						

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

six 12-1/2" x WOF strips. Subcut: seventeen 12-1/2" squares five 5" x WOF strips. Subcut: thirty-six 5" squares ten 2-1/2" x WOF strips*

From Fabric B, cut:

five 5" x WOF strips. Subcut: thirty-six 5" squares

From Fabric C, cut:

eight 4-1/2" x WOF strips. Subcut: seventy-two 4-1/2" squares

From Fabric D, cut:

five 2-1/2" x WOF strips*

From Fabric E, cut:

five 2-1/2" x WOF strips*

From Fabric F, cut:

ten 4-1/2" x WOF strips. Subcut:
eighteen 4-1/2" squares
Sew the eight remaining strips together end-to-end, then subcut:
two 4-1/2" x 88-1/2" side middle borders
two 4-1/2" x 72-1/2" top/bottom middle borders

From Fabric G, cut:

eight 2-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 2-1/2" x 84-1/2" side inner borders two 2-1/2" x 64-1/2" top/bottom inner borders

From Fabric H. cut:

nine 6-1/2" x WOF strips. Sew the strips together end-to-end, then subcut: two 6-1/2" x 96-1/2" side outer borders two 6-1/2" x 84-1/2" top/bottom outer borders


From the Binding Fabric, cut:

ten 2-1/2" x WOF strips


*Strips denoted with an asterisk are not subcut and can be put aside for the **Assemble the Four-Patches** section.

Assemble the Quarter-Square Triangles (QSTs)

Step 1: Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make seventy-two HSTs.




Step 2: Pair a 4-1/2" Fabric C square with a HST, RST. Mark a diagonal line on the wrong side of the Fabric C square, perpendicular to the seam of the HST beneath. Sew on the marked line. Trim 1/4" away from the sewn seam creating a quarter-square triangle (QST). Press toward the larger triangle



quarter-square triangle (QST). Press toward the larger triangle. Trim to 4-1/2" square. Repeat to make seventy-two QSTs.


Assemble the Four-Patches

Step 3: Sew a 2-1/2" x WOF Fabric D strip to the top edge of a 2-1/2" x WOF Fabric A strip. Press. Make five D/A strip sets. Cut a total of seventy-two 2-1/2"




D/A segments from the strip sets. The remainder of the strip sets can be discarded.

Step 4: Sew a 2-1/2" x WOF Fabric A strip to the top edge of a 2-1/2" x WOF Fabric E strip. Press. Make five A/E strip sets. Cut a total of seventy-two 2-1/2"




A/E segments from the strip sets. The remainder of the strip sets can be discarded.

Step 5: Sew a D/A segment to the left side of an A/E segment, then press. Make seventy-two four-patches.



Assemble the Blocks

Step 6: Arrange four QSTs, four four-patches, and one 4-1/2" Fabric F square in three rows of three as shown. Pay close attention to the rotation of each QST and four-patch unit. Sew the units together to form rows, then press. Sew the rows together, then press again. Make eighteen blocks.



Assemble the Quilt

Step 7: Arrange the blocks and 12-1/2" Fabric A squares into seven rows of five. Notice how the blocks and squares alternate across the quilt in the Quilt Assembly Diagram.

Step 8: Sew the blocks and squares together to form rows. Press the seams open or toward the squares.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 11: Sew the side middle borders to the sides of the quilt center. Press



toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

Step 12: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.