

Under Construction

Designed by Ramona Rose
www.ramonarose.net

Featuring
Ruff N' Tuff
by Sleepy Tree



Finished quilt measures: 42" x 44"
Shown in "Primary" colorstory. For "Bermuda" colorstory see page 5.

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOY-14171-204 PRIMARY	1/4 yard		F	AOY-14174-3 RED	1/4 yard
	B	AOY-14172-3 RED	1/4 yard		G	AOY-14174-204 PRIMARY	1/4 yard
	C	AOY-14172-5 YELLOW	1/4 yard		H	AOY-14175-204 PRIMARY	1 yard
	D	AOY-14172-12 GREY	1 fat 1/8th		I	AOY-14204-204 PRIMARY	1/4 yard
	E	AOY-14173-204 PRIMARY	1 fat 1/8th	You will also need: 3/8 yard Binding 2 yards Backing Fabric and Batting			

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A and I

- Cut four squares 6-1/8" x 6-1/8" for each fabric.

Fabric B and C

- Cut eight squares 5" x 5" for each fabric, then cut each square on the diagonal from corner to corner to make two triangles.

Fabric D

- Cut four squares 5" x 5" for each fabric, then cut each square on the diagonal from corner to corner to make two triangles.

Fabric E

- Cut two squares 6-1/8" x 6-1/8".

Fabric F and G

- Cut two strips 2-1/4" x WOF for each fabric. (If you are using fat quarters, you will need to cut enough strips to equal two 44" strips when sewn end to end.)



Fabric H

- Cut the panel 22-1/4" x 40-1/2" (along the white border)

Assembly Instructions


Step 1: Make the Diamond in Square Blocks

- Sew Fabric C triangles to either side of a Fabric A square.
- Press seam allowances toward Fabric C and trim off the over hanging corners to true up.
- Sew Fabric C triangles to the remaining two sides of Fabric A. Press Seam allowances toward Fabric C.
- Trim block to 8-1/2" x 8-1/2".
- Repeat to make a total of four blocks.
- Repeat the steps to make four blocks using Fabric B triangles with Fabric I squares and two blocks using Fabric D triangles and Fabric E squares.



Step 2: Sew the Blocks into Border Units.


- Sew the blocks together as pictured to make a border unit.
- Repeat to make a second border unit.



Make 2

Step 3: Assemble the Quilt


- Sew a border unit to either side of the Fabric H panel.



Step 4: Attach the Borders

(If you are using shorter strips from fat quarters, you will need to sew the strips together to create two 2-1/4" x 44" Fabric F strips and two 2-1/2" x 44" Fabric G strips.)

- Begin by sewing a Fabric G strip to the left side of the quilt. Trim any excess fabric to be even with the quilt top.
- Sew a Fabric G strip to the top on the quilt top. Trim excess.
- Sew a Fabric F strip to the right side of the quilt top. Trim excess.
- Sew a Fabric F strip to the bottom of the quilt top. Trim excess.



Your quilt top is complete! Baste, quilt, bind & enjoy.

Under Construction: "Bermuda" Colorstory



Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOY-14204-237 BERMUDA	1/4 yard		F	AOY-14174-237 BERMUDA	1/4 yard
	B	AOY-14172-7 GREEN	1/4 yard		G	AOY-14174-7 GREEN	1/4 yard
	C	AOY-14172-5 YELLOW	1/4 yard		H	AOY-14175-237 BERMUDA	1 yard
	D	AOY-14172-12 GREY	1 fat 1/8th		I	AOY-14173-237 BERMUDA	1/4 yard
	E	AOY-14171-237 BERMUDA	1 fat 1/8th	You will also need: 3/8 yard Binding 2 yards Backing Fabric and Batting			