WHAT DO THE ANIMALS SAY?

Designed by Elise Lea for RK www.robertkaufman.com

WHAT DO THE ANIMALS SAY?



Finished quilt measures: 59" x 71"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ATK-18060-276 COUNTRY	2/3 yard (one full panel)		F	K001-21 HONEY DEW	1/4 yard
	В	K001-1387 WHITE	1-7/8 yard		G	K001-7 TOMATO	1/4 yard
	С	ATK-18065-47 GRASS	3/4 yard		Н	ATK-18061-7 GREEN	1-7/8 yard
	D	K001-1009 AZURE	1/4 yard		Binding*	ATK-18065-47 GRASS Also used for Fabric C	5/8 yard
	E	K001-1704 OCHRE	1/4 yard		You w	vill also need:	
Copyright 2018, Robert Kaufman For individual use only - Not for resale				3-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

eighteen 5-1/2" squares

From Fabric B, cut:

four 7-1/4" x WOF strips. Subcut:
eighteen 7-1/4" squares for the flying geese
nine 3-1/2" x WOF strips. Subcut:
seventy-two 3-1/2" squares
eight 3-1/2" x 12-1/2" rectangles

From Fabric C, cut:

six 2" x WOF strips. Set aside for the inner border. twelve 1" x WOF strips. Subcut: thirty-six 1" x 5-1/2" rectangles for the block inner borders thirty-six 1" x 6-1/2" rectangles for the block inner borders

From each of Fabrics D and G, cut:

two 3-7/8" x WOF strips. Subcut: twenty 3-7/8" squares for the flying geese

From each of Fabrics E and F, cut:

two 3-7/8" x WOF strips. Subcut: sixteen 3-7/8" squares for the flying geese

From Fabric H, cut:

two 4-1/2" x <u>length</u> of fabric strips. Set aside for the side outer border. From the remaining width of fabric, cut:
four 4-1/2" x WOF strips. Set aside for the top/bottom outer border.

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips


Assemble the Blocks


Step 1: Pin two 3-7/8" Fabric D squares in opposing corners of a 7-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.


Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.

Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.











Step 4: Place one 3-7/8" Fabric D square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 3-1/2" x 6-1/2" if necessary. Repeat to make four flying geese blocks.


Step 6: Repeat with all remaining 3-7/8" Fabric D-G squares and 7-1/4" Fabric A squares to make a total of:



twenty A/D flying geese



sixteen A/E flying geese



sixteen A/F flying geese




twenty A/G flying geese

Step 7: Sew a 1" x 5-1/2" Fabric C strip to the left and right edges of a Fabric A square. Press toward Fabric C. Sew a 1" x 6-1/2" Fabric C strip to the top and bottom edges of a Fabric A square. Press toward Fabric C.



Repeat Step 7 with all Fabric A squares and 1" Fabric C strips.

Step 8: Gather: one Fabric A square (with C borders attached) four 3-1/2" Fabric A squares four A/D flying geese units



Arrange in three rows of three, as shown. Sew the units together to form rows, pressing the seams away from the flying geese units. Sew the rows together, nesting the seams. Press the row seams to one side. The resulting block should measure 12-1/2" square.


Repeat to make:

five blocks with Fabric D

four blocks with Fabric E

four blocks with Fabric F

five blocks with Fabric G



Step 9: Arrange the blocks and 3-1/2" x 12-1/2" Fabric A rectangles into five rows. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 10: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 11: Sew the rows together to form the quilt center. Press the row seams open.

Step 12: Sew the Fabric C inner border strips together, end-to-end. Measure the length of the quilt through the center. Cut two side inner border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two top/bottom inner border strips to this length. Sew the borders to the top/bottom of the quilt center. Press toward the border.

Step 13: Measure the length of the quilt through the center. Trim the two Fabric H side outer border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border.

Step 14: Sew the remaining Fabric H outer border strips together, end-to-end. Measure the width of the quilt through the center. Cut two top/bottom inner border strips to this length. Sew the borders to the top/bottom of the quilt center. Press toward the border.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2018. All rights reserved.