

WHITE FOREST

Designed by Ariga Mahmoudlou for RK Featuring
www.robertkaufman.com

Winter White : Solstice



Finished quilt measures: 74" x 86"

Quilt shown in "MIST" colorstory. For alternate "WINTER" colorstory see pages 8-10.


Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWHM-18404-245 MIST	2/3 yard (one full panel)		F	AWHM-18406-63 SKY	2-1/8 yards
	B	SRKM-14476-277 WINTER	1/2 yard		G	SRKM-14476-303 BLANC	1-1/8 yard
	C	AWHM-18406-169 EARTH	1/8 yard		H	AWHM-18407-245 MIST	5/8 yard
	D	AWHM-18406-80 EVENING	1-1/2 yard		Binding*	SRKP-16687-80 EVENING <i>*Also used for Fabric E</i>	2/3 yard
	E	SRKP-16687-80 EVENING	3/8 yard				

Copyright 2019, Robert Kaufman
For individual use only - Not for resale

You will also need:
5-1/4 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

two 9" x 10-1/2" rectangles
two 19-1/2" x 10-1/2" rectangles

From Fabric B, cut:

eight 2" x WOF strips. Subcut:
four 2" x 19-1/2" top/bottom block borders
twelve 2" x 13-1/2" side block borders
eight 2" x 9" top/bottom block borders

From Fabric C, cut:

one 1-1/2" x WOF strip. Subcut:
twelve 1-1/2" squares

From Fabric D, cut:

eight 4-1/2" x WOF strips. Sew together, end-to-end, then trim to make:
two 4-1/2" x 66-1/2" top/bottom outer borders
two 4-1/2" x 86-1/2" top/bottom outer borders
four 3" x WOF strips. Subcut:
forty-eight 3" squares for the HSTs

From Fabric E, cut:

four 3" x WOF strips. Subcut:
forty-eight 3" squares for the HSTs

From Fabric F, cut:

one 5-1/2" x WOF strips. Subcut:
two 5-1/2" x 9-1/2" rectangles
four 3" x WOF strips. Subcut:
forty-eight 3" squares for the HSTs
seventeen 2-1/2" x WOF strips. Subcut:
four 2-1/2" x 38-1/2" strips
four 2-1/2" x 35-1/2" strips
six 2-1/2" 13-1/2" rectangles
fourteen 2-1/2" x 9-1/2" block sashing strips
forty-eight 2-1/2" squares
six 1-1/2" x WOF strips. Subcut:
forty-eight 1-1/2" x 4-1/2" rectangles

From Fabric G, cut:

fifteen 2-1/2" x WOF strips. Sew together, end-to-end, then trim to make:
seven 2-1/2" x 62-1/2" row sashing strips
two 2-1/2" x 78-1/2" side sashing strips

From Fabric H, cut:

three 6-1/2" x WOF strips. Trim the selvages sparingly to maximize yardage. Sew together, end-to-end, then trim to make:
two 6-1/2" x 62-1/2" strips

From the Binding Fabric, cut:
nine 2-1/2" x WOF strips

Assemble the Panel Blocks



Step 1: Sew a 2" x 9" Fabric B rectangle to the top and bottom of a 9" x 10-1/2" Fabric A block. Press. Sew a 2" x 13-1/2" Fabric B rectangle to the left and right edges of the block. Press. The final block should measure 13-1/2" x 12".

Repeat to make four Panel Blocks this size.



Step 2: Sew a 2" x 19-1/2" Fabric B rectangle to the top and bottom of a 10-1/2" x 19-1/2" Fabric A block. Press. Sew a 2" x 13-1/2" Fabric B rectangle to the left and right edges of the block. Press. The final block should measure 13-1/2" x 22-1/2".


Repeat to make two Panel Blocks this size.

Assemble the Pieced Blocks


Step 3: Pair a 3" Fabric D square with a 3" Fabric F square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make forty-eight D/F HSTs.



Step 4: Repeat Step 1 to make:



forty-eight E/F HSTs




forty-eight D/E HSTs

Step 5: Gather:
one 2-1/2" Fabric F square
one D/F HST
one E/F HST
one D/E HST


Sew together to form a four-patch, noting the fabric placement and block orientation in the diagram. Press the seams in opposite directions, then sew the rows together, nesting the seams. The resulting unit should measure 4-1/2" square.

Repeat to make forty-eight units like this.



Step 6: Gather:
four complete Step 5 units
one 1-1/2" Fabric C square
four 1-1/2" x 4-1/2" Fabric F rectangles

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.




Step 7: Sew the units together to form the rows. Press the seams toward the fabric F strips.

Step 8: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting Block should measure 9-1/2" square. Repeat Steps 6-8 to make twelve Blocks.


Assemble the Rows



Step 9: Gather:
two small Panel Blocks
three Pieced Blocks
four 2-1/2" x 9-1/2" Fabric F block sashing strips
two 2-1/2" x 35-1/2" Fabric F strips
two 2-1/2" x 13-1/2" Fabric F strips

Arrange the units as shown in the Row Assembly Diagram. Sew together, pressing the seams toward the Fabric F strips.

This is Row 2. Repeat Step 9 to make Row 5.




Step 10: Gather:


- one large Panel Block
- three Pieced Blocks
- three 2-1/2" x 9-1/2" Fabric F block sashing strips
- one 5-1/2" x 9-1/2" Fabric F rectangle
- two 2-1/2" x 38-1/2" Fabric F strips
- one 2-1/2" x 13-1/2" Fabric F strips

Arrange the units as shown in the Row Assembly Diagram. Sew together, pressing the seams toward the Fabric F strips.

This is Row 3. Repeat Step 10 to make Row 4, noting the difference in where the Panel Block is placed.



Assemble the Quilt



Step 11: Arrange Rows 1-6 together as indicated in the Quilt Assembly Diagram, taking care to ensure the blocks and rows are facing the correct direction. Sew each row together, using row sashing strips between each row and at the top and bottom edges of the quilt center. Press seams toward the sashing.

Step 12: Sew the side sashing strips to the side of the quilt center. Press.

Step 13: Sew the top and bottom outer borders to the quilt center. Press toward the borders. Sew the side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

WHITE FOREST - Winter Colorstory



WHITE FOREST - Winter Colorstory

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWHM-18404-277 WINTER	2/3 yard (one full panel)		F	AWHM-18406-13 TAN	2-1/8 yards
	B	SRKM-14476-254 FROST	1/2 yard		G	AWHM-18406-43 LEAF	1-1/8 yard
	C	AWHM-18406-169 EARTH	1/8 yard		H	AWHM-18407-277 WINTER	5/8 yard
	D	AWHM-18406-35 SPRIG	1-1/2 yards		Binding*	ETJ-9864-34 SAGE <i>*Also used for Fabric E</i>	2/3 yard
	E	ETJ-9864-34 SAGE	3/8 yard	<p>You will also need: 5-1/4 yards for backing</p>			

Copyright 2019, Robert Kaufman
For individual use only - Not for resale

Alternate Cutting Directions for Winter Colorstory

Fabrics A-C, E, F, H and Binding, cut as listed on page 4.

From Fabric D, cut:

four 3" x WOF strips. Subcut:

forty-eight 3" squares for the HSTs

fifteen 2-1/2" x WOF strips. Sew together, end-to-end, then trim to make:

seven 2-1/2" x 62-1/2" row sashing strips

two 2-1/2" x 78-1/2" side sashing strips

From Fabric G, cut:

eight 4-1/2" x WOF strips. Sew together, end-to-end, then trim to make:

two 4-1/2" x 66-1/2" top/bottom outer borders

two 4-1/2" x 86-1/2" top/bottom outer borders