WHOVILLE ON THE MOVE

Designed by Robert Kaufman Fabrics

Featuring





Finished quilt measures: 51" x 51"





"I am a total beginner and want to learn more!"

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
I m go them. how sr	A	ADE-15376-267 ADVENTURE	2/3 yard		E	ADE-15379-267 ADVENTURE	Fat Eighth
O! A WR ORTONH IEARS H WHO! A	В	ADE-15378-47 GRASS	1/4 yard		F	K001-1007 Kona Ash	1-5/8 yard
C THE	с	ADE-15339-130 SUNSHINE	1/4 yard		G	K001-455 KONA RIVIERA	1/2 yard
HEAR!	D	ADE-15378-4 BLUE	1/2 yard	Copyright 2015, Robert Kaufman For individual use only - Not for resale			
ARS HE				You will also need: 2-2/3 yards batting & backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4 unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A:

-Fussy cut each panel block at 6-3/4" x 10-3/4". Cut seven blocks.

Fabrics B and C, each :

- Cut one strip 4-3/4" x WOF.
- + Sub-cut four pieces 4-3/4" x 7-3/4".
- Cut one strip 2" x WOF.
 - + Sub-cut eight pieces 2" x 4-3/4".

Fabric D:

- Cut two strips 4-3/4" x WOF.
 - + Sub-cut eight squares 4-3/4" x 7-3/4".
- Cut two strips 2" x WOF.
 - + Sub-cut sixteen pieces 2" x 4-3/4".

Fabric E:

- Cut one piece 6-3/4" x 10-3/4".

Fabric F:

- Cut three strips 10-3/4" x WOF.
 - + Sub-cut eighteen pieces 2-1/2" x 10-3/4" for Fabric A/E block sides.
 - + Sub-cut thirty-two pieces 2" x 10-3/4" for cross blocks.
- Cut ten strips 2" x WOF.
 - + Sub cut thirty-two pieces 2" x 7-3/4" for cross blocks.
 - + Sub-cut sixty-four squares at 2" for cross blocks.


Fabric G:

- Cut six strips 2-1/4" x WOF for binding.


Make the A Blocks


A Blocks are the "cross" blocks.

Sew one Fabric F 2" square to either side of a Fabric B 2" x 4-3/4" rectangle. Press seam to the rectangle. Repeat with remaining Fabric B rectangles of this size.



Sew a unit from the previous step to the top and bottom of a Fabric B 4-3/4" x 7-3/4" rectangle. Press seams to the inside.






Sew one Fabric F 2" x 7-3/4" rectangle to the top and bottom of the block. Press seams to the outside.

Sew one Fabric F 2" x 10-3/4" rectangle to the left and right sides of the block. Press seams to the outside.




Repeat the process above using Fabric C to make four blocks. Repeat the process above using Fabric D to make eight blocks.



Make the B Blocks

B Blocks are composed of the panel pieces and side sashing.

Sew one 2-1/2" x 10-3/4" Fabric F pieces to each side of the Fabric A and E pieces, creating nine B Blocks. Press seams to the panel.



Assemble the Quilt

Following Quilt Assembly Diagram, arrange A and B Blocks into five rows of five blocks each. Pay special attention to color placement of the A Blocks.

Sew blocks together to make rows. Press seams to one side, alternating directions for odd and even numbered rows.

Sew rows together, nesting seams. Press seams open or to one side.



Quilt Assembly Diagram

Your quilt top is complete. Baste, quilt, bind and enjoy!