WOODLAND ECHOES

Designed by Robert Kaufman Fabrics www.robertkaufman.com

Featuring SOUND of the WOODS



Finished quilt measures: 55" x 75" Quilt shown in "NATURAL" colorstory. For alternate colorstories see pages 6-9.

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWVM-16870-14 NATURAL	2/3 yard panel		Е	AFDM-16873-14 NATURAL	1-1/3 yard
	В	ETJ-9864-162 ECRU	1/4 yard	ia S	F	AFDM-16872-14 NATURAL	1/3 yard
	C	AFDM-16871-14 NATURAL	1 yard		G	etj-9864-155 stone	3/8 yard
and the second	D	AWJM-16874-14 NATURAL	1/2 yard				
Copyright 2017, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing 5/8 yard for binding			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

one 20-1/2" x 40-1/2" center panel

From Fabric B, cut:

five 1-1/2" x WOF strips. Subcut:
eight 1-1/2" x 10-1/2" strips
two 1-1/2" x 20-1/2" top/bottom panel borders
two 1-1/2" x 42-1/2" side panel borders

From Fabric C, cut:

seven 3" x WOF strips. Subcut:
ninety-six 3" squares
three 3-1/2" x WOF strips. Subcut:
thirty-two 3-1/2" squares for the HSTs

From Fabric D, cut:

five 3" x WOF strips. Subcut: sixty-four 3" squares

From Fabric E, cut:

one 3" x WOF strip. Subcut:

fourteen 3" squares

two 3-1/2" x WOF strips. Subcut:

sixteen 3-1/2" squares for the HSTs

Trim the remainder of the second strip to be 3" wide. Then cut two more 3" squares for a total of sixteen.

six 5-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 5-1/2" x 45-1/2" top and bottom outer borders

two 5-1/2" x 75-1/2" side outer borders

From Fabric F, cut:

one 3" x WOF strip. Subcut:

fourteen 3" squares

two 3-1/2" x WOF strips. Subcut:

sixteen 3-1/2" squares for the HSTs

Trim the remainder of the second strip to be 3" wide. Then cut two more 3" squares for a total of sixteen.

From Fabric G, cut:

six 2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 2" x 42-1/2" top and bottom inner borders

two 2" x 65-1/2" side inner borders


From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-square Triangle Units (HSTs)

Step 1: Pair each 3-1/2" Fabric E and F square with a 3-1/2" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3" square. Repeat to make thirty-two C/E HSTs and thirty-two C/F HSTs.





Assemble the Blocks



Step 2: Gather:
one Fabric F square
one Fabric E square
six Fabric C squares
four Fabric D squares

two C/F HSTs two C/E HSTs

Arrange the squares into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 3: Sew the squares together to form rows. Press the seams toward the darker fabric.

Step 4: Sew the rows together to form the block. Press the row seams open. Repeat to make sixteen blocks, each measuring 10-1/2" square.

Assemble the Quilt

Step 5: Sew the top and bottom panel borders to the top and bottom of the Fabric A panel. Press toward the borders. Sew the side panel borders borders to the sides of the Fabric A panel. Press toward the borders.



Step 6: Arrange four blocks and two Fabric B 1-1/2" x 10-1/2" strips to form the top pieced border. Note the fabric placement and block orientation in the Quilt Assembly Diagram. Sew together to form the border, pressing the seams open or toward the Fabric B strips. Repeat to make the bottom border.

Step 7: Arrange four blocks and two Fabric B 1-1/2" x 10-1/2" strips to form one side pieced border. Note the fabric placement and block orientation in the Quilt Assembly Diagram. Sew together to form the border, pressing the seams open or toward the Fabric B strips. Repeat to make the second side border.

Step 8: Sew one completed Step 7 unit to the left edge of the quilt center, noting the block orientation. Repeat with the second side border, sewing it to the right edge of the quilt. Press both seams toward the quilt center.

Step 9: Sew one completed Step 6 unit to the top edge of the quilt center, noting the block orientation. Repeat to with the second Step 6 unit for the bottom border. Press both seams toward the quilt center.

Step 10: Sew the 2" x 42-1/2" Fabric G top and bottom inner borders to the quilt center. Press toward the borders. Sew the 2" x 65-1/2" Fabric G side inner borders to the sides of the quilt center. Press toward the borders.

Step 11: Sew the 5-1/2" x 45-1/2" Fabric E top and bottom outer borders to the quilt center. Press toward the borders. Sew the 5-1/2" x 75-1/2" Fabric E side outer borders to the sides of the quilt center. Press toward the borders.



WOODLAND ECHOES - Winter Colorstory

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/\$KU	Yardage
	A	AWVM-16870-277 WINTER	2/3 yard panel		E	AFDM-16873-277 WINTER	1-1/3 yard
	В	SRKM-14476-277 WINTER	1/4 yard		F	AFDM-16872-277 WINTER	1/3 yard
	С	AFDM-16871-277 WINTER	1 yard		G	ETJ-9864-213 TEAL	3/8 yard
	D	AWJM-16874-277 WINTER	1/2 yard				
Copyright 2017, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing 5/8 yard for binding			

WOODLAND ECHOES - Ice Colorstory



WOODLAND ECHOES - Ice Colorstory

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWVM-16870-88 ICE	2/3 yard panel		E	AFDM-16873-88 ICE	1-1/3 yard
	В	SRKP-16687-357 TITANIUM	1/4 yard		F	AFDM-16872-88 ICE	1/3 yard
	С	AFDM-16871-88 ICE	1 yard		G	ETJ-9864-185 STEEL	3/8 yard
	D	AWJM-16874-88 ICE	1/2 yard				
Copyright 2017, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing 5/8 yard for binding			