

YULETIDE BELLS

Designed by Darlene Zimmerman
www.feedsacklady.com

Featuring *Yuletide Bells*
Darlene Zimmerman



Finished quilt measures: 59" x 59"


Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
FABRIC

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADZ-19204-223 HOLIDAY	2/3 yard (one full panel)		E	ADZ-19208-7 GREEN	2/3 yard
	B	ADZ-19206-223 HOLIDAY	1/2 yard		F	ADZ-19205-256 RETRO	1-3/4 yards
	C	ADZ-19206-7 GREEN	1/2 yard		Binding*	ADZ-19206-223 HOLIDAY	1/2 yard
	D	P081-191 VINTAGE WHT	1-1/3 yards	*Also used for Fabric B			
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 3-3/4 yards for backing Suggested Tool: Easy Angle or Half-Square Triangle from EZ Quilting*			

*See alternate cutting instructions if not using the ruler.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Alternate Cutting Instructions: If NOT using the tool, cut 2-3/8" strips for the half-square triangles and use your favorite method.

From Fabric A, fussy:

eight 10" to 10-1/2" squares

These will be embroidered and trimmed to size later on.

From Fabric B, cut:

six 2" x WOF strips. Subcut:

one hundred seventy Half-Square Triangles*

one 1-1/2" x WOF strips. Subcut:

twelve 1-1/2" squares

*Layer the opened red or green strips right sides together with the white strips and then cut the triangles. They will then be ready to chain sew.

From Fabric C, cut:

six 2" x WOF strips. Subcut:

one hundred seventy Half-Square Triangles*

one 1-1/2" x WOF strips. Subcut:

eight 1-1/2" squares

*Layer the opened red or green strips right sides together with the white strips and then cut the triangles. They will then be ready to chain sew.

From Fabric D, cut:

six 3-1/2" x WOF strips. Subcut:

sixty-eight 3-1/2" squares

twelve 2" x WOF strips. Subcut:

three hundred forty Half-Square Triangles*

From Fabric E, cut:

fifteen 1-1/2" x WOF strips. Subcut:

forty 1-1/2" x 9-1/2" sashings

Set aside the remaining strips for the inner sashings

From Fabric F, cut:

two 5-1/2" x length of fabric strips. Set aside for the side borders.

From the remaining fabric, cut:

four 5-1/2" x WOF strips. Set aside for the top/bottom borders.

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips


Embroider the Blocks

Step 1 Embroider the eight Fabric A blocks with floss that matches the printed color on the blocks. Use 1-2 strands. (I use Aurifil cotton floss).

Step 2 Press each right side down on a fluffy towel. Trim to exactly 9-1/2" square (or the same size as your pinwheel blocks). Set aside.

Assembling the Pinwheel Blocks


Step 1 Sew all the half-square triangles together. Press toward Fabric B and Fabric C.





Step 2 Sew two Fabric B triangle-squares together exactly as shown. Press. Make seventy-two pairs, setting twenty-six aside. Repeat for all the Fabric C triangle-squares.



Step 3 Sew the pairs from Step 2 together, making thirty-four pinwheel blocks in both Fabric B and Fabric C. Twist the center to pop a few stitches, then press the seams spinning around the center. At this point the blocks should measure 3-1/2" square.




Step 4 Using the remaining Fabric B and Fabric C triangle-squares and the same technique as in Step 2 and 3, make seventeen mixed color blocks. Twist and press in the same manner. At this point the blocks should measure 3-1/2" square.



Step 5 Using two of the Fabric B pinwheel blocks, two of the Fabric C pinwheel blocks, one Fabric B/C block, and four Fabric D squares, assemble a block as shown. Press as shown. Make seventeen blocks. At this point the blocks should measure 9-1/2" square.

Assembling the Quilt

Step 1 Arrange the blocks as shown in the photo. Sew sashing strips between the blocks in each row, pressing the seams toward the sashing. Repeat for all the rows.



Step 2 Sew horizontal sashing strips with either red or green cornerstones to match the pinwheel blocks in the corners. Make 4 horizontal sashing rows. Press toward the sashing.



Step 3 Sew the block rows and the sashing rows together, matching and pinning at seam intersections. Press toward the sashing.

Step 4 Piece, measure and trim two Fabric E inner borders the width of the quilt. Sew to the top and bottom of the quilt and press toward the borders.

Step 5 Piece, measure and trim two Fabric E borders the length of the quilt without including the border. Add Fabric B cornerstones to the ends of the borders. Press toward the borders, then sew the borders to the sides of the quilt. Press toward the borders.

Step 6 In the same manner, piece two borders for the top and bottom of the quilt. Sew to the top and bottom of the quilt. Press toward the borders.

Step 7 Measure and trim two borders (cut vertically) for the sides of the quilt. Sew to the sides. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.