LINKED RUNNER

Designed by Ariga Mahmoudlou for RK Featuring Rings And Dots www.robertkaufman.com

Finished project measures: 18" x 50"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-19074-410 HAZE	1/2 yard		Е	AMD-19074-163 SPICE	1/8 yard
	В	AMD-19074-2 BLACK	1/4 yard		F	AMD-19074-344 COBBLESTONE	1/8 yard
	С	AMD-19074-373 COAL	1/2 yard		inding*	AMD-19074-2 BLACK Also used for Fabric B	1/3 yard
	D	AMD-19074-167 CHOCOLATE	1/8 yard				
Copyright 2019, Robert Kaufman For individual use only - Not for resale				You will also need: 1-5/8 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- one 3-1/4" x WOF strip. Subcut:
 - eight 3-1/4" squares for the Half-QSTs. Cut each square in half along both diagonals to create a total of thirty-two small triangles.
- two 3" x WOF strips. Subcut:
 - □ twenty-two 3" squares for the HSTs
- three 2-1/2" x WOF strips. Subcut:
 - □ two 2-1/2" x 40-1/2" top/bottom Border 1 strips
 - □ two 2-1/2" x 12-1/2" side Border 1 strips
 - □ four 2-1/2" squares

From Fabric B, cut:

- one 3-1/4" x WOF strip. Subcut:
 - one 3-1/4" square for the Half-QSTs. Cut each square in half along both diagonals to create a total of four small triangles.
 - □ Trim the remainder of the strip to 3" wide, then subcut:
 - four 3" squares for the HSTs
 - ♦ Trim the remainder of the strip to 2-7/8" wide, then subcut:
 - two 2-7/8" squares for the Half-QSTs. Cut each square in half once along the diagonal to create a total of four large triangles.
- three 1-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - □ two 1-1/2" x 44-1/2" top/bottom Border 2 strips
 - □ two 1-1/2" x 14-1/2" side Border 2 strips

From Fabric C, cut:

- one 3-1/4" x WOF strip. Subcut:
 - two 3-1/4" squares for the Half-QSTs. Cut each square in half along both diagonals to create a total of eight small triangles.
 - □ Trim the remainder of the strip to 3" wide, then subcut:
 - ♦ four 3" squares for the HSTs
 - ♦ Trim the remainder of the strip to 2-7/8" wide, then subcut:
 - four 2-7/8" squares for the Half-QSTs. Cut each square in half once along the diagonal to create a total of eight large triangles.
- four 2-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - □ two 2-1/2" x 46-1/2" top/bottom Border 3 strips
 - □ two 2-1/2" x 18-1/2" side Border 3 strips

From each of Fabrics D and E, cut:

- one 3-1/4" x WOF strip. Subcut:
 - two 3-1/4" squares for the Half-QSTs. Cut each square in half along both diagonals to create a total of eight small triangles.
 - □ Trim the remainder of the strip to 3" wide, then subcut:
 - four 3" squares for the HSTs
 - ♦ Trim the remainder of the strip to 2-7/8" wide, then subcut:
 - four 2-7/8" squares for the Half-QSTs. Cut each square in half once along the diagonal to create a total of eight large triangles.

From Fabric F, cut:

- one 3-1/4" x WOF strip. Subcut:
 - one 3-1/4" square for the Half-QSTs. Cut each square in half along both diagonals to create a total of four small triangles.
 - □ Trim the remainder of the strip to 3" wide, then subcut:
 - ♦ two 3" squares for the HSTs
 - ♦ Trim the remainder of the strip to 2-7/8" wide, then subcut:
 - two 2-7/8" squares for the Half-QSTs. Cut each square in half once along the diagonal to create a total of four large triangles.

From the Binding Fabric, cut:

four 2-1/2" x WOF strips

Assemble the Half-Square Triangles


Step 1: Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make sixteen A/B HSTs.




Step 2: Repeat Step 1 to make:




eight A/D HSTs



eight A/E HSTs



eight A/C HSTs



four A/F HSTs

Assemble the Half Quarter-Square Triangles




Step 3: Arrange one Fabric D small triangle and one Fabric A small triangle to form a pair, taking care to orient the fabric as shown in the example here. Sew together and press toward the darker fabric.


Step 4: Sew one Fabric B large triangle the long edge of the pair from the previous step. Press toward the large triangle. Trim to 2-1/2".



Step 5: Repeat Steps 3 and 4 to make four in each of the following fabric combinations. Be careful to note the fabric placement in each one. This is important for the final design.



Assemble the Table Runner



Step 6: Arrange the HSTs, Half-QSTs and 2-1/2" Fabric A squares into four rows of twenty blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

- **Step 7:** Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.
- **Step 8:** Sew the rows together to form the table runner center. Press the row seams open.
- **Step 9:** Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders. Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders.
- **Step 10:** Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders. Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders.

