


IN FULL FLIGHT

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring ARTISAN
BATIKS

Mardi Gras_™



Finished quilt measures: 55" x 64"













Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-2 BLACK	1-7/8 yards		G	AMD-20765-297 MARDI GRAS	3/8 yard
	B	AMD-20764-297 MARDI GRAS	1/4 yard		H	AMD-20764-205 MULTI	1/3 yard
	C	AMD-20763-297 MARDI GRAS	1/4 yard		I	AMD-20759-205 MULTI	1/4 yard
	D	AMD-20762-297 MARDI GRAS	1/4 yard		J	AMD-20761-297 MARDI GRAS	1/4 yard
	E	AMD-20761-205 MULTI	1/3 yard		K	AMD-20764-6 PURPLE	1/4 yard
	F	AMD-20764-7 GREEN	3/8 yard		Binding	AMD-20760-297 MARDI GRAS	5/8 yard
<p>Copyright 2021, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

five 8-1/2" x WOF strips. Subcut:

one hundred nineteen 1-1/2" x 8-1/2" block sashing strips

fourteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

eight 1-1/2" x 53-1/2" row sashing strips

two 1-1/2" x 64-1/2" side outer borders

From each of Fabrics B, C, J and K, cut:

three 2-1/2" x WOF strips. Subcut:

nine 2-1/2" x 8-1/2" rectangles

From each of Fabrics D and I, cut:

three 2-1/2" x WOF strips. Subcut:

twelve 2-1/2" x 8-1/2" rectangles

From each of Fabrics E and H, cut:

four 2-1/2" x WOF strips. Subcut:

fifteen 2-1/2" x 8-1/2" rectangles

From each of Fabrics F and G, cut:


five 2-1/2" x WOF strips. Subcut:

eighteen 2-1/2" x 8-1/2" rectangles

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Blocks




Step 1: Gather:

three Fabric B rectangles


two 1-1/2" x 8-1/2" Fabric A block sashing strips

Sew together to form the block, as shown. Press the seams toward the sashing strips. The resulting Block should measure 8-1/2" square. Repeat to make three Blocks from Fabric B.


Step 2: Repeat Step 1 to make:




three Blocks
from Fabric C




four Blocks
from Fabric D




five Blocks
from Fabric E




six Blocks
from Fabric F




six Blocks
from Fabric G




five Blocks
from Fabric H



four Blocks
from Fabric I




three Blocks
from Fabric J



three Blocks
from Fabric K

Assemble the Quilt



Step 3: Arrange the blocks into seven rows of six blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows, sewing a block sashing strip between each pair of blocks. Press the seams toward the sashing.

Step 5: Sew the rows together to form the quilt center, sewing a row sashing strip between each row and at the top and bottom of the quilt center. Press the seams toward the row sashing strips.

Step 6: Sew the outer borders to the left and right edges of the quilt center and press.

Your quilt top is complete! Baste, quilt, bind and enjoy!